3424

TM 11-5815-259-35P

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

EMFO LIBRARY

FIELD AND DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOL LISTS

TELETYPEWRITERS TT-47A/UG, TT-47B/UG, TT-47C/UG, TT-59A/UG, AND TT-69B/UG

HEADQUARTERS, DEPARTMENT OF THE ARMY

23 FEBRUARY 1962

EMFO LIBRARY

TECHNICAL MANUAL
No. 11-5815-259-35P

HEADQUARTERS,
DEPARTMENT OF THE ARMY
WASHINGTON 25, D. C., *23 February 1962*

TELETYPEWRITERS TT-47A/UG, TT-47B/UG, TT-47C/UG, TT-69A-UG AND TT-69B/UG

		Paragraph	Page
SECTION I.	INTRODUCTION		
	Scope	1	2
	Parts for maintenance	2	3
	Requisitioning information	3	3
	References	4	3
	Comments or suggestions	5	3
II.	FUNCTIONAL PARTS LIST		4
	Teletypewriter TT-47A/UG, TT-47B/UG, TT-47C/UG, TT-69A/UG, TT-69B/UG		4
	Keyboard MX-1114A/UG, MX-1114B/UG		4
	Automatic typer MX-115A,B/UG		14
	AC Motor PD-17A/U		38
	Power Distribution Panel SB-145/UG, SB-964/UG		40
	Cabinets CY-870/UG, CY-870A/UG, CY-2538/UG, CY-871/UG, CY-2539/UG		43

* This manual supersedes TM 11-5815-259-35P, 8 April 1960.

SECTION I

INTRODUCTION

1. Scope

a. This manual lists the quantities of repair parts for third, fourth, and fifth echelon field maintenance and is a basis for requisitioning authorized parts. It is also a guide for fifth echelon in establishing initial levels of spare parts.

b. Columns are as follows:

(1) *Source, maintenance, and recoverability code.* Source, maintenance, and recoverability codes indicate the technical service responsible for supply, the echelons where an item is stocked, echelons where an item is installed or repaired, and whether an item is repairable or salvageable. The source code column is divided into four parts.

(a) Column A. This column indicates the technical service responsible for supply. AR 310–2 defines the basic numbers used to identify the technical services. If the part is supplied by the Signal Corps, the column is blank.

(b) Column B. This column indicates the point within the maintenance system where the part is available. "P" indicates that the repair part is a high mortality part; procured by technical services, stocked in and supplied from the technical service depot system, and authorized for use at indicated maintenance echelons. "P1" indicates that the repair part is a low mortality part; procured by technical services, stocked only in and supplied from technical service *key* depots, and authorized for installation at indicated maintenance echelons.

(c) Column C. This column indicates the lowest maintenance echelon authorized to install the part.

"O"—Organizational maintenance (1st and 2d echelon).

"F"—Field maintenance (3d echelon).

"H"—Field maintenance (4th echelon).

(d) Column D. Not used.

(2) *Federal stock number.* This column lists the 11-digit Federal stock number.

(3) *Designation by model.* The dagger (†) indicates model or equipment in which the part is used and further by its position, designates the reference symbol by which the item is identified, and/or the quantity used in each model or equipment where the quantity varies.

(4) *Nomenclature.* Nomenclature or the standard item name and brief identifying data for each item are listed in this column. When requisitioning, enter the nomenclature and description.

(5) *Unit of issue.* The unit of issue is each unless otherwise indicated and is the supply term by which the individual item is counted for procurement, storage, requisitioning, allowances, and issue purposes.

(6) *Expendability.* Nonexpendable items are indicated by NX. Expendable items are not annotated.

(7) *Quantity incorporated in unit.* This column lists the quantity of each part found in a given assembly, component, or equipment.

(8) *Field (third echelon).* This column indicates quantities of repair parts authorized for initial stockage for use in the third echelon maintenance and in supply support to second echelon. The quantities are based on 100 equipments to be maintained for a 15-day period.

(9) *Field (fourth echelon).* The numbers in this column indicate quantities of repair parts authorized for initial stockage for use in fourth echelon maintenance. The quantities are based on 100 equipments to be maintained for a 15-day period.

(10) *Depot (fifth echelon).* The numbers in this column indicate quantities of repair parts authorized for depot maintenance and for initial stockage for maintenance, and for supply support to lower echelons.

The entries are based on the quantity required for rebuild of 100 equipments.

(11) *Illustrations.* The "Item No." column lists the reference symbols used for identification of the items in the illustration or text of the manual.

2. Parts for Maintenance

When this equipment is used by signal service organizations organic to the theater headquarters or communication zones to provide theater communications, those repair parts authorized up to and including fourth echelon are authorized for stockage by the organization operating this equipment.

3. Requisitioning Information

a. The allowance factors are based on 100 equipments. In order to determine the number of parts authorized for initial stockage for the specific number of equipments supported, the following formula will be used and carried out to two decimal places.

$$\text{Specific number of equipments supported} \times \frac{\text{allowance factor}}{100} = \text{Number of parts authorized for initial stockage.}$$

b. Fractional values obtained from above computation will be rounded to whole numbers as follows:

(1) When the total number of parts authorized is less than 0.5, the quantity authorized will be zero.

(2) When the total number of parts authorized is between 0.5 and 1.0, the quantity authorized will be one.

(3) For all values above one, fractional values below 0.5 will revert to the next lower whole number and fractional value 0.5 and above will advance to the next higher whole number.

c. The quantities determined in accordance with the above computation represent the initial stockage for a 15-day period.

4. References

A maintenance allocation chart showing all repair operations authorized to be performed by the respective echelons of maintenance is contained in TM 11–5815–259–12P.

5. Comments or Suggestions

Any comments concerning omissions and discrepancies in this manual will be prepared on DA Form 2028 and forwarded direct to Commanding Officer, U. S. Army Signal Materiel Support Agency, ATTN: SIGMS–ML, Fort Monmouth, N. J.

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL		(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
											3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2									
							TELETYPEWRITER TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG								
				5815-546-6789			TELETYPEWRITER TT-47A/UG; TT-47B/UG; TT-47C/UG: fixed station; std com keyboard; English characters; 72 characters per line; 7.42 unit code; sending and receiving; friction feed; 115 v ac; single ph; 60 cyc; sync motor; for wire or radio ckt		NX						
				5815-665-1867			TELETYPEWRITER TT-69A/UG; TT-69B/UG: protable station; std com keyboard; English characters; 72 characters per line; 7.42 unit code; sending and receiving; friction feed; 115 vac; single ph; 60 cyc, sync motor; for wire or radio ckt		NX						
							KEYBOARD MX-1114A/UG; MX-1114B/UG								
							NOTE: Model Column 1 refers to MX-1114A/UG; Model Column 2 refers to MX-1114B/UG.								
	P1	F		5815-370-0028	+		SCREW, MACHINE: Teletype part No. 1164			2	1.1	0.6	10		1164
	P1	F		5305-207-0762	+	+	SCREW, MACHINE: Fed Spec No. FF-S-92, type 1, Style 4S			2	1.1	0.6	10		1178
	P1	F		5310-186-7453	+	+	WASHER, FLAT: Teletype part No. 2034			8	2.6	1.6	40		2034
	P1	F		5310-194-1007	+	+	WASHER, LOCK: Teletype part No. 2191			58	6.7	2.9	290		2191
	P1	F		5310-186-7539	+	+	WASHER, FLAT: Teletype part No. 2247			2	1.1	0.6	10		2247
	P1	F		5310-197-3305	+	+	WASHER, LOCK: Teletype part No. 2449			2	1.1	0.6	10		2449
	P1	F		5310-391-9570	+	+	WASHER, FLAT: Teletype part No. 2597			2	1.1	0.6	10		2597
	P1	F		5310-638-4317	+	+	WASHER, LOCK: Teletype part No. 2669			8	1.8	1.0	40		2669
	P1	F		5310-194-1468	+	+	WASHER, FLAT: Teletype part No. 3438			2	1.1	0.6	10		3438
	P1	F		5310-221-4873	+	+	NUT, PLAIN, HEXAGON: Teletype part No. 3595			1	0.7	0.3	5		3595
	P1	F		5310-194-8196	+	+	NUT: Teletype part No. 3598			10	2.0	1.3	50		3598

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL					(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	(12)
														3RD	4TH	5TH	FIGURE NO.	ITEM NO.
A	B	C	D		1	2	3	4	5	TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5310-208-8726	†	†				NUT, PLAIN, HEXAGON: Teletype part No. 3599			17	3.4	1.7	85		3599
	P1	F		5310-194-8166		†				NUT, PLAIN, HEXAGON: Teletype part No. 3606			1	0.7	0.3	10		3606
	P1	F		5310-194-1478	†	†				WASHER, LOCK: Teletype part No. 3640			9	2.0	1.3	45		3640
	P1	F		5310-197-3306	†	†				WASHER, LOCK: Teletype part No. 3646			2	1.1	0.6	10		3646
	P1	F		5815-526-3862	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 4703			1	0.9	0.5	15		4703
	P1	F		5815-126-4176	†	†				WICK: Teletype part No. 4809			1	0.9	0.5	15		4809
	P1	F		5815-369-9949	†	†				NUT, PLAIN, HEXAGON: Teletype part No. 5475			1	0.5	0.3	5		5475
	P1	F		5310-193-7591	†	†				WASHER, FLAT: Teletype part No. 7002			12	2.0	1.3	60		7002
	P1	F		5815-250-0218	†	†				SPRING, HELICAL, COMPRESSION: Teletype part No. 7602			1	0.9	0.5	5		7602
	P1	F		5815-526-1650	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 7603			40	11.0	4.8	20		7603
	P1	F		5815-526-3865	†					SPRING, HELICAL, EXTENSION: Teletype part No. 7618			1	0.9	0.5	5		7618
	P1	F		5815-448-1406	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 7655			1	0.9	0.5	5		7655
	P1	F		5340-448-3995	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 7965			1	0.9	0.5	5		7965
	P1	F		5340-448-1417	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 31636			3	2.0	1.3	15		31636
	P1	F		5340-448-1433	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 42661			5	2.6	1.7	25		42661
	P1	F		5310-186-7538	†	†				WASHER, FLAT: Teletype part No. 42823			4	1.8	1.0	20		42823
	P1	F		5340-448-3693	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 45104			1	0.9	0.5	5		45104
	P1	F		5815-448-3698	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 49420			1	0.9	0.5	5		49420
	P1	F		5340-448-3713	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 55669			1	0.5	0.3	5		55669
	P1	F		5815-664-2224	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 70388			1	0.9	0.4	5		70388
	P1	F		5310-193-9990	†	†				WASHER, FLAT: Teletype part No. 71703			6	1.5	0.8	30		71703
	P1	F		5815-448-3763	†	†				WASHER, NON-METALLIC: Teletype part No. 72563			1	0.7	0.3	10		72563
	P1	F		5310-194-0679	†	†				WASHER, FLAT: Teletype part No. 73008			1	0.5	0.3	5		73008
	P1	F		5310-193-7622	†	†				WASHER, FLAT: Teletype part No. 73844			2	1.1	0.6	10		73844
	P1	F		5310-285-8087	†	†				WASHER, FLAT: Teletype part No. 76099			1	0.5	0.3	5		76099
	P1	F		5815-370-1048	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 76299			1	0.9	0.5	5		76299
	P1	F		5815-526-3847	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 80581			1	0.9	0.5	5		80581
	P1	F		5815-412-4618	†	†				WASHER, FLAT: Teletype part No. 85957			1	0.5	0.3	5		85957

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL					(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
														3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2	3	4	5	TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5330-599-1568	†	†				WASHER, NON-METALLIC: Teletype part No. 86079			2	1.5	0.8	20		86079
	P1	F		5815-370-0101	†	†				NUT, PLAIN, HEXAGON: Teletype part No. 86742			2	0.7	0.3	10		86742
	P1	F		5815-448-1815	†	†				NUT, HEXAGON: Teletype part No. 86742			2	0.7	0.3	10		86742
	P1	F		5815-448-1819	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 86835			1	0.9	0.5	5		86835
	P1	F		5815-448-4122	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 90260			1	0.9	0.5	5		90260
	P1	F		5815-664-2142	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 90573			1	0.9	0.5	5		90573
	P1	F		5815-126-7949	†	†				WASHER, NON-METALLIC: Teletype part No. 90679			1	1.4	0.7	10		90679
	P1	F		5310-193-7636	†	†				WASHER, LOCK: Teletype part No. 90791			3	1.5	0.8	15		90791
	P1	F		5310-013-8522	†	†				WASHER, LOCK: Shakeproof part No. 1204			5	1.4	0.7	25		90951
	P1	F		5310-209-0047	†	†				WASHER, FLAT: Teletype part No. 91904			3	0.9	0.5	15		91904
	P1	F		5815-126-8059	†	†				POST: Teletype part No. 92668			1	0.5	0.3	2		92668
	P1	F		5310-209-3866	†	†				WASHER, LOCK: Teletype part No. 93118			2	0.7	0.3	10		93118
	P1	F		5815-448-1962	†					WASHER, NON-METALLIC: Teletype part No. 93356			2	1.5	0.8	10		93356
	P1	F		5310-448-4160	†	†				WASHER, NON-METALLIC: Teletype part No. 93758			1	1.4	0.7	10		93758
	P1	F		5305-639-7125	†	†				SCREW, ADJUSTMENT: Teletype part No. 95499			1	0.7	0.3	5		95499
	P1	F		5815-448-2087	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 101386			1	0.9	0.5	5		101386
	P1	F		5330-298-3447		†				WASHER, NON-METALLIC: Teletype part No. 101796			10	6.0	2.5	100		101796
	P1	F		5305-206-6466	†	†				SCREW, MACHINE: Teletype part No. 102057			1	0.7	0.3	10		102057
	P1	F		3110-100-6176	†	†				BALL, BEARING: Teletype part No. 104710			43	18.0	8.7	172		104710
	P1	F		5815-370-0009	†	†				WASHER, FLAT: Teletype part No. 104807			5	1.4	0.6	25		104807
	P1	F		3110-155-9645	†	†				BEARING, BALL: Teletype part No. 104827			1	0.7	0.3	4		104827
	P1	F		5815-448-2167	†	†				SCREW, MACHINE: Teletype part No. 106047			2	1.1	0.6	10		106047
	P1	F		5815-664-2211	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 109631			1	0.9	0.5	5		109631
	P1	F		5330-291-9914	†	†				WASHER, NON-METALLIC: Teletype part No. 109757			3	2.6	1.7	30		109757
	P1	F		5330-298-3452	†	†				WASHER, FELT: Teletype part No. 109762			2	2.0	1.3	20		109762
	P1	F		5815-392-0827	†	†				SPRING, HELICAL, COMPRESSION: Teletype part No. 109839			2	1.5	0.8	10		109839
	P1	F		5815-369-8658	†	†				SCREW, MACHINE: Teletype part No. 110434			4	1.8	1.0	20		110434
	P1	F		5310-296-7022	†	†				NUT, PLAIN, HEXAGON: Teletype part No. 110435			1	0.7	0.3	5		110435
	P1	F		5815-664-2216	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 110436			1	0.9	0.5	5		110436

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL					(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
														3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2	3	4	5	TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5310-209-3861	†	†				WASHER, LOCK: Teletype part No. 110743			46	5.5	23	230		110743
	P1	F		5305-206-2064	†	†				SCREW, MACHINE: Teletype part No. 111017			4	1.1	0.6	20		111017
	P1	F		5340-448-2191	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 111342			1	0.9	0.5	5		111342
	P1	F		5310-189-5216	†	†				WASHER, FLAT: Teletype part No. 111767			1	0.7	0.3	5		111767
	P1	F		5815-369-9146	†	†				NUT, PLAIN, HEXAGON: Teletype part No. 112626			3	0.9	0.5	15		112626
	P1	F		5815-205-4589	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 112630			1	0.5	0.3	5		112630
	P1	F		5330-141-3444	†	†				WASHER, FELT: Teletype part No. 115122			2	2.0	1.3	20		115122
	P1	F		5340-598-1229	†					RING, RETAINING: Waldes part No. 5133-6			3	1.9	1.2	15		119647
	P1	F		5340-598-1154	†	†				RING, RETAINING: Teletype part No. 119648			10	4.2	2.8	50		119648
	P1	F		5340-598-1228	†	†				RING, RETAINING: Teletype part No. 119649			6	2.1	2.0	30		119649
	P1	F		5340-598-1231	†	†				RING, RETAINING: Teletype part No. 119651			7	3.1	2.0	35		119651
	P1	F		5340-282-0813	†	†				RING, RETAINING: Teletype part No. 119652			10	4.2	2.8	50		119652
	P1	F		5340-265-9964	†	†				RING, RETAINING: Teletype part No. 119653			2	1.5	0.8	10		119653
	P1	F		5330-298-3448	†	†				WASHER, NON-METALLIC: Teletype part No. 120824			1	0.9	0.5	10		120824
	P1	F		5310-193-7389	†	†				WASHER, FLAT: Teletype part No. 125011			5	2.0	1.3	25		125011
	P1	F		5815-412-4494	†	†				SCREW, MACHINE: Teletype part No. 125126			2	1.5	0.6	10		125126
	P1	F		5305-637-1448	†	†				SCREW, MACHINE: Teletype part No. 125181			2	1.5	0.6	10		125181
	P1	F		5815-205-4380	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 125268			1	0.9	0.5	5		125268
	P1	F		5305-307-3443	†	†				SCREW, MACHINE: Teletype part No. 128002			2	1.1	0.6	10		128002
	P1	F		5815-370-0937	†	†				ARM: Teletype part No. 150013			1	0.5	0.3	5		150013
	P1	F		5815-370-0939	†	†				LEVER: Teletype part No. 150026			1	0.5	0.3	5		150026
	P1	F		5815-697-9389	†	†				WICK: Teletype part No. 150029			1	1.4	0.7	50		150029
	P1	F		5815-370-1059	†	†				SHOE: Teletype part No. 150043			1	0.5	0.3	2		150043
	P1	F		5815-370-1060	†	†				SHOE: Teletype part No. 150044			1	0.5	0.3	2		150044
	P1	F		5305-207-5590	†	†				SCREW, MACHINE: Teletype part No. 150089			3	1.5	0.8	15		150089

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL					(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
														3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2	3	4	5	TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5815-664-2139	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 150241			1	0.9	0.5	5		150241
	P1	F		5815-370-0897	†	†				LEVER: Teletype part No. 151008			1	0.5	0.3	5		151008
	P1	F		3110-159-9530	†	†				BEARING, ROLLER, NEEDLE: Teletype part No. 151016			1	0.5	0.3	5		151016
	P1	F		5815-370-1746		†				STUD: Teletype part No. 151018			1	0.5	0.3	3		151018
	P1	F		5815-370-0735	†	†				LEVER ASSEMBLY: Teletype part No. 151025			1	0.5	0.3	5		151025
	P1	F		5815-370-0736	†	†				TOGGLE, DETENT: Teletype part No. 151026			1	0.7	0.3	5		151026
	P1	F		5815-370-0739	†	†				BELL CRANK: Teletype part No. 151032			1	0.5	0.3	3		151032
	P1	F		5305-637-5481	†	†				SCREW, SHOULDER: Teletype part No. 151036			3	1.5	0.8	15		151036
	P1	F		5815-370-0742	†	†				LEVER ASSEMBLY: Teletype part No. 151037			1	0.7	0.3	5		151037
	P1	F		5815-370-0743	†	†				PLATE, GUIDE: Teletype part No. 151038			1	0.5	0.3	2		151038
	P1	F		5815-370-0744	†	†				STUD: Teletype part No. 151039			1	0.5	0.3	2		151039
	P1	F		5305-207-4823	†	†				SCREW, PILOT: Teletype part No. 151041			1	0.7	0.3	5		151041
	P1	F		5815-370-0748	†	†				SPACER: Teletype part No. 151045			1	0.5	0.3	3		151045
	P1	F		5815-370-0749	†	†				LEVER: Teletype part No. 151051			2	0.7	0.3	10		151051
	P1	F		5815-370-0750	†	†				LEVER: Teletype part No. 151052			7	1.7	0.9	35		151052
	P1	F		5815-370-0751	†	†				LEVER: Teletype part No. 151053			7	1.7	0.9	35		151053
	P1	F		5815-370-0752	†	†				STUD: Teletype part No. 151054			1	0.5	0.3	2		151054
	P1	F		5815-370-0753	†	†				STUD: Teletype part No. 151055			1	0.5	0.3	2		151055
	P1	F		5815-370-0754	†	†				STUD: Teletype part No. 151056			2	0.7	0.3	4		151056
	P1	F		5815-370-0755	†	†				SCREW, PILOT: Teletype part No. 151057			1	0.5	0.3	5		151057
	P1	F		5815-664-4600	†	†				STUD: Teletype part No. 151059			2	0.7	0.3	4		151059
	P1	F		5815-370-0757	†	†				STUD: Teletype part No. 151062			1	0.5	0.3	2		151062
	P1	F		5815-370-0758	†	†				WASHER, EXTRUDED: Teletype part No. 151063			1	0.5	0.3	5		151063
	P1	F		5815-370-0769	†	†				BAIL: Teletype part No. 151065			1	0.5	0.3	2		151065
	P1	F		5815-370-0770	†	†				BAIL: Teletype part No. 151066			1	0.5	0.3	2		151066
	P1	F		5815-370-0772	†	†				FOLLOWER, CAM: Teletype part No. 151068			1	0.5	0.3	2		151068
	P1	F		5815-370-0775	†	†				WEDGE, LOCK: Teletype part No. 151076			34	10.0	4.2	170		151076
	P1	F		5815-370-0776	†	†				WASHER, FLAT: Teletype part No. 151080			2	0.7	0.3	10		151080
	P1	F		5815-370-0778	†	†				SCREW, PILOT: Teletype part No. 151082			1	0.7	0.3	5		151082
	P1	F		5815-370-0779	†	†				BAR, CLUTCH, STRIP: Teletype part No. 151084			1	0.5	0.3	5		151084
	P1	F		5815-370-0780	†	†				CODE BAR: Teletype part No. 151085			1	0.5	0.3	5		151085
	P1	F		5815-370-0781	†	†				CODE BAR: Teletype part No. 151086			1	0.5	0.3	5		151086
	P1	F		5815-370-0782	†	†				CODE BAR: Teletype part No. 151087			1	0.5	0.3	5		151087

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL					(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
														3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2	3	4	5	TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5815-370-0783	†	†				CODE BAR: Teletype part No. 151088			1	0.5	0.3	5		151088
	P1	F		5815-370-0784	†	†				CODE BAR: Teletype part No. 151089			1	0.5	0.3	5		151089
	P1	F		5305-207-4822	†	†				SCREW, PILOT: Teletype part No. 151090			2	0.7	0.3	10		151090
	P1	F		5815-370-0791	†	†				STUD: Teletype part No. 151098			1	0.5	0.3	2		151098
	P1	F		5815-370-0763	†	†				PAWL: Teletype part No. 151102			1	0.5	0.3	2		151102
	P1	F		5815-370-0795	†	†				STUD: Teletype part No. 151104			2	1.3	0.5	4		151104
	P1	F		5815-370-0766	†	†				LEVER: Teletype part No. 151105			1	0.5	0.3	5		151105
	P1	F		5815-370-0767	†	†				NUT: Teletype part No. 151106			1	0.5	0.3	5		151106
	P1	F		5815-370-0761	†	†				STRIP, MOUNTING: Teletype part No. 151113			2	0.7	0.3	10		151113
	P1	F		5815-370-0762	†	†				LEVER: Teletype part No. 151115			1	0.5	0.3	5		151115
	P1	F		5815-370-0671	†	†				SPACER: Teletype part No. 151126			2	0.8	0.4	2.0		151126
	P1	F		5815-370-0800	†	†				GEAR, SPUR: Teletype part No. 151129			1	0.7	0.3	5		151129
	P1	F		5815-370-0804	†	†				SCREW, SHOULDER: Teletype part No. 151145			1	0.5	0.3	5		151145
	P1	F		5815-370-0808	†	†				CAM ASSEMBLY: Teletype part No. 151151			1	0.5	0.3	5		151151
	P1	F		5305-207-8694	†	†				SCREW, MACHINE: Teletype part No. 151152			12	3.6	2.4	60		151152
	P1	F		5815-370-0700	†	†				SLEEVE, GEAR: Teletype part No. 151154			1	0.9	0.5	3		151154
	P1	F		5305-370-0819	†	†				SCREW, ADJUSTMENT: Teletype part No. 151169			1	0.7	0.3	5		151169
	P1	F		5815-370-0818	†	†				TOGGLE: Teletype part No. 151171			1	0.5	0.3	2		151171
	P1	F		5815-370-0817	†	†				SCREW, CONTACT: Teletype part No. 151173			2	1.1	0.6	10		151173
	P1	F		5815-370-0813	†	†				TERMINAL: Teletype part No. 151179			2	0.7	0.3	4		151179
	P1	F		5330-599-1230	†	†				WASHER, NON-METALLIC: Teletype part No. 151182			1	0.7	0.3	10		151182
	P1	F		5815-370-0810	†	†				INSULATOR, BUSHING: Teletype part No. 151183			1	0.5	0.3	5		151183
	P1	F		5815-370-0900	†	†				EXTENSION, TOGGLE: Teletype part No. 151184			1	0.5	0.3	2		151184
	P1	F		5815-092-1415	†	†				TOGGLE, LINK: Teletype part No. 151180			3	1.0	0.5	5.0		151180
	P1	F		5815-370-0904	†	†				BAIL: Teletype part No. 151189			1	0.5	0.3	2		151189
	P1	F		5815-370-0905	†	†				LEVER: Teletype part No. 151190			1	0.5	0.3	5		151190
	P1	F		5815-370-0906	†	†				BUMPER, RUBBER: CHI Rawhide part No. 3102			1	0.5	0.3	10		151193
	P1	F		9390-694-1679	†	†				WICK, FELT: Teletype part No. 151201			1	0.7	0.3	100		151201
	P1	F		5815-370-0911	†	†				BAIL: Teletype part No. 151207			1	0.5	0.3	2		151207
	P1	F		5815-568-7942	†	†				LEVER, CLUTCH STOP: Teletype part No. 151211			1	0.5	0.3	5		151211
	P1	F		5815-370-0913	†	†				STUD: Teletype part No. 151213			1	0.5	0.3	2		151213
	P1	F		5815-370-0915	†	†				ROD: Teletype part No. 151218			1	0.5	0.3	2		151218
	P1	F		5330-370-0132	†	†				WASHER, NON-METALLIC: Teletype part No. 151222			1	1.4	0.7	10		151222
	P1	F		5305-637-5473	†	†				SCREW, SHOULDER: Teletype part No. 151223			2	1.1	0.8	10		151223

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL					(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
														3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2	3	4	5	TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5305-207-5355	†	†				SCREW, PILOT: Teletype part No. 151224			2	1.1	0.7	10		151224
	P1	F		5815-370-0135	†	†				WASHER, NON-METALLIC: Teletype part No. 151225			1	0.9	0.5	10		151225
	P1	F		5815-370-0137	†	†				BRACKET: Teletype part No. 151227			1	0.5	0.3	2		151227
	P1	F		5815-370-0138	†	†				BRACKET, WITH BEARING: Teletype part No. 151228			2	2.0	1.2	5.0		151228
	P1	F		5815-370-0143	†	†				RATCHET: Teletype part No. 151234			1	0.9	0.3	3		151234
	P1	F		5815-370-0142	†	†				RATCHET: Teletype part No. 151235			1	0.9	0.3	3		151235
	P1	F		5815-370-0144	†	†				HUB: Teletype part No. 151236			1	0.5	0.3	2		151236
	P1	F		5815-370-0145	†	†				SPRING, FLAT: Teletype part No. 151237			2	1.5	0.8	6		151237
	P1	F		5815-370-0148	†	†				PAWL: Teletype part No. 151240			1	0.5	0.3	3		151240
	P1	F		5815-370-0149	†	†				LEVER: Teletype part No. 151241			1	0.5	0.3	5		151241
	P1	F		5815-370-0152	†	†				BUSHING, ECCENTRIC: Teletype part No. 151244			1	0.5	0.3	5		151244
	P1	F		5815-370-0153	†	†				WASHER, NON-METALLIC: Teletype part No. 151245			1	0.9	0.5	10		151245
	P1	F		5310-209-4220	†	†				WASHER, FLAT: Teletype part No. 151246			1	0.9	0.5	5		151246
	P1	F		5815-370-0519	†	†				KEYLEVER ASSEMBLY: Teletype part No. 151286			1	0.7	0.3	5		151286
	P1	F		5815-370-0520	†					KEYLEVER ASSEMBLY: Teletype part No. 151287			1	0.7	0.3	5		151287
	P1	F		5815-370-0521	†	†				KEY TOP: Teletype part No. 151288			1	0.7	0.3	5		151288
	P1	F		5815-370-0522	†	†				KEY TOP: Teletype part No. 151289			1	0.7	0.3	5		151289
	P1	F		5815-370-0518	†	†				KEY TOP: Teletype part No. 151290			1	0.7	0.3	5		151290
	P1	F		5815-370-0523	†	†				KEY TOP: Teletype part No. 151291			1	0.7	0.3	5		151291
	P1	F		5815-370-0524	†	†				KEY TOP: Teletype part No. 151292			1	0.7	0.3	5		151292
	P1	F		5815-370-0525	†	†				KEY TOP: Teletype part No. 151293			1	0.7	0.3	5		151293
	P1	F		5815-370-0526	†	†				KEY TOP: Teletype part No. 151294			1	0.7	0.3	5		151294
	P1	F		5815-370-0600	†	†				KEY TOP: Teletype part No. 151295			1	0.7	0.3	5		151395
	P1	F		5815-370-0527	†	†				KEY TOP: Teletype part No. 151296			1	0.7	0.3	5		151296
	P1	F		5815-370-0528	†	†				KEY TOP: Teletype part No. 151297			1	0.7	0.3	5		151297
	P1	F		5815-370-0529	†	†				KEY TOP: Teletype part No. 151298			1	0.7	0.3	5		151298
	P1	F		5815-370-0530	†	†				KEY TOP: Teletype part No. 151299			1	0.7	0.3	5		151299
	P1	F		5815-370-0531	†	†				KEY TOP: Teletype part No. 151300			1	0.7	0.3	5		151300
	P1	F		5815-370-0532	†	†				KEY TOP: Teletype part No. 151301			1	0.7	0.3	5		151301
	P1	F		5815-370-0533	†	†				KEY TOP: Teletype part No. 151302			1	0.7	0.3	5		151302
	P1	F		5815-370-0534	†	†				KEY TOP: Teletype part No. 151303			1	0.7	0.3	5		151303
	P1	F		5815-370-0535	†	†				KEY TOP: Teletype part No. 151304			1	0.7	0.3	5		151304
	P1	F		5815-370-0536	†	†				KEY TOP: Teletype part No. 1151305			1	0.7	0.3	5		151305

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL					(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	(12)
														3RD	4TH	5TH	FIGURE NO.	ITEM NO
A	B	C	D		1	2	3	4	5	TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5815-370-0577	†	†				KEY TOP: Teletype part No. 151306			1	0.7	0.3	5		151306
	P1	F		5815-370-0578	†	†				KEY TOP: Teletype part No. 151307			1	0.7	0.3	5		151307
	P1	F		5815-370-0579	†	†				KEY TOP: Teletype part No. 151308			1	0.7	0.3	5		151308
	P1	F		5815-370-0460	†	†				KEY TOP: Teletype part No. 151309			1	0.7	0.3	5		151309
	P1	F		5815-370-0459	†	†				KEY TOP: Teletype part No. 151310			1	0.7	0.3	5		151310
	P1	F		5815-370-0458	†	†				KEY TOP: Teletype part No. 151311			1	0.7	0.3	5		151311
	P1	F		5815-370-0457	†	†				KEY TOP: Teletype part No. 151312			1	0.7	0.3	5		151312
	P1	F		5815-370-0456	†	†				KEY TOP: Teletype part No. 151313			1	0.7	0.3	5		151313
	P1	F		5815-370-0455	†	†				KEY TOP: Teletype part No. 151314			1	0.7	0.3	5		151314
	P1	F		5815-370-0454	†	†				KEY TOP: Teletype part No. 151315			1	0.7	0.3	5		151315
	P1	F		5815-370-0453	†	†				KEY TOP: Teletype part No. 151316			1	0.7	0.3	5		151316
	P1	F		5815-370-0452	†	†				KEY TOP: Teletype part No. 151317			1	0.7	0.3	5		151317
	P1	F		5815-370-0451	†	†				KEY TOP: Teletype part No. 151318			1	0.7	0.3	5		151318
	P1	F		5815-370-0450	†	†				KEY TOP: Teletype part No. 151319			1	0.7	0.3	5		151319
	P1	F		5815-370-0599	†	†				KEY TOP: Teletype part No. 151320			1	0.7	0.3	5		151320
	P1	F		5815-370-0598	†	†				KEY TOP: Teletype part No. 151321			1	0.7	0.3	5		151321
	P1	F		5815-370-0597		†				KEY TOP: Teletype part No. 151322			1	0.7	0.3	5		151322
	P1	F		5815-370-1748	†	†				COVER, KEY LEVER ASSEMBLY: Teletype part No. 151325			1	0.5	0.3	2		151325
	P1	F		5930-510-7661	†	†				SWITCH, SENSITIVE: Teletype part No. 151329			2	1.1	0.6	20		151329
	P1	F		5815-370-0160	†	†				FELT, OIL: Teletype part No. 151333			1	0.7	0.3	50		151333
	P1	F		5815-370-0161	†	†				STUD: Teletype part No. 151335			2	0.7	0.3	4		151335
	P1	F		5815-370-0162	†	†				SPACER, SLEEVE: Teletype part No. 151338			4	1.1	0.6	8		151338
	P1	F		5815-370-0163	†	†				LEVER: Teletype part No. 151341			1	0.5	0.3	2		151341
	P1	F		5305-207-5579	†	†				SCREW, MACHINE: Teletype part No. 151346			15	4.2	1.7	75		151346
	P1	F		5815-370-0166	†	†				SCREW, SHOULDER: Teletype part No. 151350			1	0.7	0.3	5		151350
	P1	F		5815-370-0167	†	†				SPRING: Teletype part No. 151352			1	0.5	0.3	5		151352
	P1	F		5815-370-0168	†	†				SCREW, MACHINE: Teletype part No. 151354			2	1.1	0.6	10		151354
	P1	F		5815-370-0169	†	†				BAR, LOCKING: Teletype part No. 151355			1	0.5	0.3	3		151355
	P1	F		5815-370-1223	†	†				TERMINAL: Teletype part No. 151365			1	0.5	0.3	5		151365
	P1	F		5815-370-1188	†	†				SUPPRESSOR: Teletype part No. 151369			1	0.9	0.5	10		151369
	P1	F		5815-664-2141	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 151395			2	1.5	0.8	10		151395
	P1	F		5815-260-3480	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 151397			7	3.1	2.0	35		151397

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL					(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD: 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT: QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
														3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2	3	4	5	TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5340-302-6344	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 151398			7	3.1	2.0	35		151398
	P1	F		5815-370-0184	†	†				TERMINAL, BOARD: Teletype part No. 151415			1	0.5	0.3	3		151415
	P1	F		5815-370-0185	†	†				NUT, PLAIN, HEXAGON: Teletype part No. 151416			4	1.1	0.6	20		151416
	P1	F		5305-207-8693	†	†				SCREW, MACHINE: Teletype part No. 151630			2	0.7	0.3	10		151630
	P1	F		5305-207-8695	†	†				SCREW, MACHINE: Teletype part No. 151631			7	1.7	0.9	35		151631
	P1	F		5305-207-7113	†	†				SCREW, MACHINE: Teletype part No. 151637			9	3.2	2.0	45		151637
	P1	F		5305-207-8687	†	†				SCREW, MACHINE: Teletype part No. 151642			4	1.1	0.6	20		151642
	P1	F		5815-370-0922	†	†				SCREW, MACHINE: Teletype part No. 151657			12	3.6	2.4	60		151657
	P1	F		5305-531-9034	†	†				SCREW, MACHINE: Teletype part No. 151658			16	4.2	1.7	80		151658
	P1	F		5305-207-7114	†	†				SCREW, MACHINE: Teletype part No. 151659			4	1.8	1.0	20		151659
	P1	F		5815-370-0925	†	†				SCREW, PILOT: Teletype part No. 151678			4	1.8	1.0	20		151678
	P1	F		5305-013-1830	†	†				SCREW, MACHINE: Teletype part No. 151685			1	0.7	0.3	5		131685
	P1	F		5815-370-1167	†	†				SCREW, MACHINE: Teletype part No. 151688			2	0.7	0.3	10		151688
	P1	F		5305-207-7472	†	†				SCREW, MACHINE: Teletype part No. 151692			15	4.2	1.7	75		151692
	P1	F		5815-370-0932	†	†				BUTTON, PILOT: Teletype part No. 151712			2	0.7	0.3	4		151712
	P1	F		5305-637-6343	†	†				SCREW, MACHINE: Teletype part No. 151723			1	0.7	0.3	5		151723
	P1	F		5305-637-6344	†	†				SCREW, MACHINE: Teletype part No. 151724			2	0.7	0.3	10		151724
	P1	F		5305-201-4188	†	†				SCREW, MACHINE: Teletype part No. 151725			2	0.7	0.3	10		151725
	P1	F		5815-663-3355	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 151728			1	0.9	0.5	5		151728
	P1	F		5305-638-7409	†	†				SCREW, MACHINE: Teletype part No. 151731			1	0.7	0.3	5		151731
	P1	F		5305-208-6405	†	†				SCREW, MACHINE: Teletype part No. 151737			4	1.8	1.0	20		151737
	P1	F		5305-370-1186	†	†				SCREW, MACHINE: Teletype part No. 151739			1	0.5	0.3	5		151739
	P1	F		5815-527-1220	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 151820			1	0.9	0.5	5		151820
	P1	F		5815-370-2008	†	†				BAR STOP: Teletype part No. 151830			1	0.5	0.3	3		151830
	P1	F		5815-370-1178	†	†				LINK: Teletype part No. 151831			1	0.5	0.3	3		151831
	P1	F		5815-370-1184	†	†				SCREW, MACHINE: Teletype part No. 151832			2	1.1	0.6	10		151832

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL					(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
														3RD	4TH	5TH	FIGURE NO.	ITEM NO.
A	B	C	D		1	2	3	4	5	TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5815-370-1234	†	†				LEVER: Teletype part No. 151835			1	0.5	0.3	5		151835
	P1	F		5815-370-1451	†	†				BAIL: Teletype part No. 151840			1	0.5	0.3	5		151840
	P1	F		5815-370-1733	†	†				SCREW, PILOT: Teletype part No. 151843			1	0.5	0.3	5		151843
	P1	F		5815-370-1735	†	†				LEVER: Teletype part No. 151845			1	0.5	0.3	5		151845
	P1	F		5815-370-1734	†	†				LOCK: Teletype part No. 151848			1	0.5	0.3	3		151848
	P1	F		5815-370-1453	†	†				LEVER: Teletype part No. 151851			31	4.2	1.7	5		151851
	P1	F		5815-370-1454	†	†				LEVER: Teletype part No. 151852			1	0.5	0.3	5		151852
	P1	F		5815-370-1455	†	†				LEVER: Teletype part No. 151853			2	0.7	0.3	10		151853
	P1	F		5815-370-1456	†	†				LEVER: Teletype part No. 151854			2	0.7	0.3	10		151854
	P1	F		5815-370-1457	†	†				LEVER: Teletype part No. 151855			2	0.7	0.3	10		151855
	P1	F		5815-370-1736	†	†				BAIL: Teletype part No. 151857			1	0.5	0.3	3		151857
	P1	F		5815-370-1783	†	†				BAIL: Teletype part No. 151858			1	0.5	0.3	3		151858
	P1	F		5815-370-1784	†	†				LINK: Teletype part No. 151859			1	0.5	0.3	3		151859
	P1	F		5815-370-1785	†	†				BAIL: Teletype part No. 151861			1	0.5	0.3	3		151861
	P1	F		5815-370-1458	†	†				STUD: Teletype part No. 151879			1	0.5	0.3	3		151879
	P1	F		5815-370-1408	†	†				PLATE: Teletype part No. 151885			1	0.5	0.3	3		151885
	P1	F		5815-370-1459	†	†				STUD: Teletype part No. 151886			3	0.9	0.5	3		151886
	P1	F		5815-092-1417	†	†				EXTENSION, BAIL: Teletype part No. 151898			1	0.5	0.3	3		151889
	P1	F		5310-303-4354	†	†				NUT, PLAIN, HEXAGON: Teletype part No. 151899			1	0.7	0.3	5		151899
	P1	F		5815-370-1781	†	†				SCREW, SHOULDER: Teletype part No. 152122			1	0.7	0.3	5		152122
	P1	F		5815-370-1711	†	†				STUD: Teletype part No. 152250			1	0.5	0.3	3		152250
	P1	F		5815-370-1835	†	†				LATCH: Teletype part No. 152462			1	0.5	0.3	3		152462
	P1	F		5815-370-1836	†	†				LATCH: Teletype part No. 152463			2	0.7	0.3	6		152463
	P1	F		5970-370-1837	†	†				INSULATOR: Teletype part No. 152464			2	0.7	0.3	10		152464
	P1	F		5935-201-8209	†	†				CONNECTOR, RECEPTACLE, ELECTRICAL: Teletype part No. 152467			1	0.5	0.3	5		152467
	P1	F		5935-201-3307	†	†				BAIL: Teletype part No. 152493			1	0.5	0.3	3		152493
	P1	F		5815-332-8850	†	†				LEVER: Teletype part No. 152815			1	0.5	0.3	5		152815
	P1	F		5815-092-1430	†	†				SPRING: Teletype part No. 152839			5	2.6	1.7	25		152839
	P1	F		5815-568-7918	†	†				LATCH: Teletype part No. 152873			5	1.4	0.7	15		152873
	P1	F		5815-320-8234	†	†				LATCH: Teletype part No. 152874			2	0.7	0.3	6		152874

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL					(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
														3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2	3	4	5	TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5815-092-1432	†	†				SPACER: Teletype part No. 152875			7	2.6	1.7	14		152875
	P1	F		5815-313-5439	†	†				BRACKET: Teletype part No. 152894			2	0.7	0.3	4		152894
	P1	F		5815-318-5060	†	†				PLUG: Teletype part No. 153116			5	2.0	1.3	25		153116
	P1	F		5815-570-7381	†	†				DETENT ASSEMBLY: Teletype part No. 153887			2	0.7	0.3	10		153887
	P1	F		5815-603-7858	†	†				PAWL: Teletype part No. 154135			1	0.5	0.3	3		154135
	P1	F		5815-370-0151	†	†				PAWL: Teletype part No. 154136			1	0.5	0.3	3		154136
				5815-652-1587	†	†				SPACER: Teletype part No. 154662			2	0.8	0.4	2.0		154662
	P1	F		5815-370-0940	†	†				DISK ASSEMBLY: Teletype part No. 154694			1	0.5	0.3	3		154694
										AUTOMATIC TYPER MX-1115A,B/UG								
										NOTE: Model Column 1 refers to MX-1115A/UG; Column 2 refers to MX-1115B/UG								
	P1	F		5950-654-7302	†	†				ELECTROMAGNET: Teletype part No. 254M			2	0.7	0.3	10		254M
	P1	F		5815-370-0028	†	†				SCREW, MACHINE: Teletype part No. 1164			2	1.1	0.6	10		1164
	P1	F		5815-370-0035	†	†				SCREW, MACHINE: Teletype part No. 1179			1	0.5	0.3	5		1179
	P1	F		5815-448-1350	†	†				SCREW, MACHINE: Teletype part No. 1196			2	1.1	0.6	10		1196
	P1	F		5815-370-1196	†	†				SET SCREW: Teletype part No. 1214			1	0.5	0.3	5		1214
	P1	F		5815-448-3649	†	†				SCREW, MACHINE: Teletype part No. 1293			2	0.7	0.3	10		1293
	P1	F		5310-194-1007	†	†				WASHER, LOCK: Fed Spec No. FF-W-84 Class A, Style 2			249	19.0	9.5	1200		2191
	P1	F		5310-194-0019	†	†				WASHER, FLAT: Teletype part No. 2438			4	1.5	0.6	20		2438
	P1	F		5310-595-5576	†	†				SPACER: Teletype part No. 2481			2	0.7	0.3	6		2481
	P1	F		5815-448-3662	†	†				NUT, PLAIN, HEXAGON: Teletype part No. 2539			4	1.1	0.6	20		2539
	P1	F		5310-638-4317	†	†				WASHER, LOCK: Teletype part No. 2669			18	3.1	2.0	90		2669
	P1	F		5310-194-8196	†	†				NUT: Teletype part No. 3598			60	6.7	2.9	300		3598
	P1	F		5310-208-8726	†	†				NUT, PLAIN, HEXAGON: Teletype part No. 3599			20	3.1	2.0	100		3599
	P1	F		5310-194-8166	†	†				NUT, PLAIN, HEXAGON: Teletype part No. 3606			3	1.5	0.8	15		3606
	P1	F		3110-100-6146	†	†				BEARING, BALL, ANNULAR: Teletype part No. 3637			36	15.0	7.2	180		3637

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL					(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
														3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2	3	4	5	TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5310-194-1477	†	†				WASHER, FLAT: Teletype part No. 3649			1	0.5	0.3	5		3649
	P1	F		5330-297-7347	†	†				WASHER, FLAT: Teletype part No. 4586			2	2.0	1.3	10		4586
	P1	F		5815-526-3862	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 4703			11	4.7	3.1	55		4703
	P1	F		5815-369-9339	†	†				SCREW, MACHINE: Teletype part No. 5740			3	0.9	0.5	15		5740
	P1	F		5815-691-3165	†	†				SCREW, MACHINE: Teletype part No. 6745			2	0.7	0.3	10		6745
	P1	F		5305-448-3722	†	†				SCREW, MACHINE: Teletype part No. 6800			1	0.7	0.3	5		6800
	P1	F		5310-193-7591	†	†				WASHER, FLAT: Teletype part No. 7002			37	4.7	3.1	185		7002
	P1	F		5815-526-1650	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 7603			2	1.5	0.8	10		7603
	P1	F		5815-448-3995	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 7965			1	1.1	0.5	5		7965
	P1	F		5310-194-1458	†	†				WASHER, FLAT: Teletype part No. 8330			6	1.5	0.8	30		8330
	P1	F		5815-412-5635	†	†				SPACER: Teletype part No. 8449			2	0.7	0.3	4		8449
	P1	F		5815-370-0092	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 22015			1	0.9	0.5	5		22015
	P1	F		5815-448-1417	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 31636			1	0.9	0.5	5		31636
	P1	F		5815-448-3680	†	†				SPRING, HELICAL, COMPRESSION: Teletype part No. 33038			1	0.9	0.5	5		33038
	P1	F		5815-664-2209	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 33828			1	0.9	0.5	5		33828
	P1	F		5815-205-4608	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 41382			1	0.9	0.5	5		41382
	P1	F		5815-448-1433	†					SPRING, HELICAL, EXTENSION: Teletype part No. 42661			1	0.9	0.5	5		42661
						†							2	1.5	0.8	10		
	P1	F		5310-186-7538	†	†				WASHER, FLAT: Teletype part No. 42823			20	5.0	2.1	20		42823
	P1	F		5305-298-2485	†	†				SCREW, MACHINE: Teletype part No. 42827			3	1.9	1.2	15		42827
	P1	F		5815-664-2210	†					SPRING, HELICAL, EXTENSION: Teletype part No. 45027			3	1.9	1.2	15		45027
						†							4	2.0	1.3	20		
	P1	F		5815-448-3698	†					SPRING, HELICAL, EXTENSION: Teletype part No. 49420			2	1.5	0.8	10		49420
						†							1	0.9	0.5	5		
	P1	F		5815-664-2224	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 70388			1	0.9	0.5	5		70388
	P1	F		5815-664-2229	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 72468			1	0.9	0.5	5		72468
	P1	F		5815-127-1963	†	†				WICK: Teletype part No. 72522			11	6.5	2.6	440		72522

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL					(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
														3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2	3	4	5	TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5310-198-3677	†	†				WASHER, LOCK: Teletype part No. 73175			4	1.1	0.6	20		73175
	P1	F		9390-202-4085	†	†				WICK: Teletype part No. 73520			1	1.4	0.7	40		73520
	P1	F		5815-448-3780	†	†				SETSCREW: Teletype part No. 73894			4	1.8	1.0	20		73894
	P1	F		5815-448-3826	†	†				SPRING: Teletype part No. 74272			1	0.5	0.3	5		74272
	P1	F		5310-194-2791	†	†				WASHER, SPRING TENSION: Teletype part No. 74283			2	1.5	0.6	10		74283
	P1	F		5815-129-1814	†	†				COLLAR, SPACING: Teletype part No. 74547			3	0.9	0.5	9		74547
	P1	F		5815-125-5820	†	†				WICK, OILING: Teletype part No. 74553			1	0.9	0.5	40		74553
	P1	F		5815-526-3854	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 74701			8	2.6	2.4	40		74701
	P1	F		3815-526-3852		†				SPRING, HELICAL, EXTENSION: Teletype part No. 74712			1	0.7	0.3	5		74712
	P1	F		5310-198-3682	†	†				WASHER, FLAT: Teletype part No. 74722			1	0.5	0.3	5		74722
	P1	F		5815-125-8116	†	†				WICK: Teletype part No. 74755			2	2.0	1.3	80		74755
	P1	F		5815-126-8020	†	†				ROLLER, LEVER: Teletype part No. 74785			1	0.5	0.3	3		74785
	P1	F		5815-448-3902	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 74882			2	1.5	0.8	10		74882
	P1	F		5815-205-4592	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 75229			2	1.5	0.8	10		75229
	P1	F		5310-285-8087	†	†				WASHER, FLAT: Teletype part No. 76099			2	0.7	0.3	10		76099
	P1	F		5815-205-4600	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 76379			2	1.5	0.8	10		76379
	P1	F		5310-186-7384	†	†				SPACER: Teletype part No. 76461			1	0.5	0.3	3		76461
	P1	F		5815-448-1653	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 78533			1	2.0	1.3	5		78533
	P1	F		5310-194-1505	†					WASHER, FLAT: Teletype part No. 80530			1	0.5	0.3	5		80530
	P1	F		5815-526-3847	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 80581			2	1.5	0.8	10		80581
	P1	F		6625-664-2130	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 81731			1	1.5	0.6	5		81731
	P1	F		5305-407-5901	†	†				SCREW, MACHINE: Teletype part No. 81778			4	1.8	1.0	20		81778
	P1	F		5815-526-1653	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 82442			1	0.9	0.5	5		82442
	P1	F		5815-205-4593	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 82463			3	1.9	1.2	15		82463
	P1	F		5815-448-4068	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 84575			2 4	1.5 2.0	0.8 1.3	10 20		84575
	P1	F		5815-663-3305	†	†				SPRING, HELICAL, COMPRESSION: Teletype part No. 85407			2	1.5	0.6	10		85407
	P1	F		9390-448-1782	†	†				OILER: Teletype part No. 85816			1	0.9	0.5	5		85816

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL					(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
														3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2	3	4	5	TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5815-567-2208	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 86304			1	0.9	0.5	5		86304
	P1	F		5815-448-1819	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 86835			2	1.5	0.8	10		86835
	P1	F		9390-281-8823	†	†				WICK: Teletype part No. 89096			3	2.6	1.7	120		89096
	P1	F		5815-448-4121	†	†				NUT, PLAIN, HEXAGON: Teletype part No. 89897			1	0.5	0.3	5		89897
	P1	F		5815-448-4122	†					SPRING, HELICAL, EXTENSION: Teletype part No. 90260			1	0.9	0.5	5		90260
	P1	F		5330-298-3453	†	†				WASHER, NON-METALLIC: Teletype part No. 90361			16	8.5	3.6	160		90361
	P1	F		5310-392-0018	†	†				SHIM: Teletype part No. 90490			1	0.9	0.5	5		90490
	P1	F		5330-599-8250	†	†				WASHER, FELT: Teletype part No. 90504			2	2.0	1.3	20		90504
	P1	F		5815-448-4129	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 90517			11	6.5	2.6	55		90517
	P1	F		5815-370-0845	†					SHIM: Teletype part No. 90599			4	1.1	0.6	20		90599
	P1	F		5815-126-7949	†	†				WASHER, NON-METALLIC: Teletype part No. 90679			4	3.1	2.0	40		90679
	P1	F		5310-193-7636	†	†				WASHER, LOCK: Teletype part No. 90791			2	0.7	0.3	10		90791
	P1	F		5330-298-3445	†	†				WASHER, NON-METALLIC: Teletype part No. 90819			3	2.6	1.7	30		90819
	P1	F		5815-407-5949	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 92665			2	1.5	0.8	10		92665
	P1	F		5815-448-1962	†	†				WASHER, NON-METALLIC: Teletype part No. 93356			25	3.6	2.4	250		93356
	P1	F		5305-207-5650	†	†				SCREW, MACHINE: Teletype part No. 93507			1	0.7	0.3	5		93507
	P1	F		5815-125-4807	†	†				FELT, OILING: Teletype part No. 93729			1	1.4	0.7	40		93729
	P1	F		5310-448-4160	†	†				WASHER, NON-METALLIC: Teletype part No. 93758			5	3.6	2.4	50		93758
	P1	F		5310-448-1967	†	†				WASHER, NON-METALLIC: Teletype part No. 93879			1	1.4	0.7	10		93879
	P1	F		5815-412-4689	†	†				NUT, PLAIN, HEXAGON: Teletype part No. 95030			4	1.8	1.0	20		95030
	P1	F		5815-370-0356	†	†				BUSHING: Teletype part No. 95827			1	0.5	0.3	3		95827
	P1	F		5815-370-0242	†	†				SCREW, SHOULDER: Teletype part No. 96717			1	0.5	0.3	5		96717
	P1	F		5815-127-1971	†	†				WICK, OILING: Teletype part No. 97481			2	2.0	1.3	80		95481
	P1	F		5330-298-3447	†	†				WASHER, NON-METALLIC: Teletype part No. 101796			8	5.0	2.1	80		101796

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL					(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
														3RD	4TH	5TH	FIGURE NO.	ITEM NO.
A	B	C	D		1	2	3	4	5	TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5310-194-1511	†	†				WASHER: Teletype part No. 102839			4	1.8	1.0	20		102839
	P1	F		9390-174-0969	†	†				WICK, FELT: Teletype part No. 105028			1	1.4	0.7	40		105028
	P1	F		5310-209-3862	†	†				WASHER, LOCK: Teletype part No. 107116			1	0.5	0.3	5		107116
	P1	F		9390-202-4071	†	†				WICK: Teletype part No. 108199			3	2.6	1.7	120		108199
	P1	F		5330-291-9914	†	†				WASHER, NON-METALLIC: Teletype part No. 109757			5	3.6	2.4	50		109757
	P1	F		5330-298-3452	†	†				WASHER, FELT: Teletype part No. 109762			2	2.0	1.3	20		109762
	P1	F		5815-392-0827	†	†				SPRING, HELICAL, COMPRESSION: Teletype part No. 109839			2	1.5	0.8	10		109839
	P1	F		5815-369-8658	†	†				SCREW, MACHINE: Teletype part No. 110434			27	6.0	2.5	135		110434
	P1	F		5310-269-7022	†	†				NUT, PLAIN, HEXAGON: Teletype part No. 110435			1	0.9	0.3	5		110435
	P1	F		5815-664-2216	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 110436			1	0.9	0.5	5		110436
	P1	F		5815-597-2268	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 110437			1	0.9	0.5	5		110437
	P1	F		5310-209-3861	†	†				WASHER, LOCK: Fed Spec No. FF-W-84, type No. MS-35377-40			142	21.0	10.8	610		110743
	P1	F		5815-412-4951	†	†				SPRING, HELICAL, COMPRESSION: Teletype part No. 110872			1	0.9	0.5	5		110872
	P1	F		5815-663-3309	†	†				SPRING, HELICAL, COMPRESSION: Teletype part No. 111355			1	0.9	0.5	5		111355
	P1	F		5815-369-9146	†	†				NUT, PLAIN, HEXAGON: Teletype part No. 112626			12	2.0	1.3	60		112626
	P1	F		5310-369-9147	†	†				NUT, PLAIN, HEXAGON: Teletype part No. 112627			10	2.0	1.3	50		112627
	P1	F		5815-205-4591	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 112633			1	0.9	0.5	5		112633
	P1	F		5815-205-4601	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 112634			2	1.5	0.8	10		112634
	P1	F		5330-141-3444	†	†				WASHER, FELT: Teletype part No. 115122			2	2.0	1.3	20		115122
	P1	F		5340-598-1154	†	†				RING, RETAINING: Waldes part No. 5133-9			2	1.5	0.8	10		119648
	P1	F		5340-598-1228	†	†				RING, RETAINING: Teletype part No. 119649			11	4.7	3.1	55		119649
	P1	F		5340-598-1231	†	†				RING, RETAINING: Teletype part No. 119651			25	8.0	3.2	125		119651
	P1	F		5340-282-0813	†	†				RING, RETAINING: Teletype part No. 119652			44	11.5	5.1	220		119652

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL					(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS	(9) FIELD	(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	(12)
																	FIGURE NO	ITEM NO
A	B	C	D		1	2	3	4	5					3RD	4TH	5TH		
										TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5340-265-9964	†	†				RING, RETAINING: Teletype part No. 119653			9	3.6	2.4	45		119653
	P1	F		5340-721-8950	†	†				CLAMP: commercial plastics No. CPC1953-3B			3	1.5	0.8	10.0		121243
	P1	F		5815-369-8676	†	†				SCREW, MACHINE: Teletype part No. 125005			10	2.0	1.3	50		125005
	P1	F		5310-193-7389	†	†				WASHER, FLAT: Teletype part No. 125011			31	6.7	2.9	155		125011
	P1	F		5310-194-1476	†					WASHER, FLAT: Teletype part No. 125015			10	3.1	2.0	50		125015
						†							1	0.7	0.3	5		
	P1	F		5815-664-2208	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 125238			1	0.9	0.5	5		125238
	P1	F		5310-193-7620	†	†				WASHER, FLAT: Teletype part No. 125802			2	1.1	0.6	10		125802
	P1	F		5305-307-3443	†	†				SCREW, MACHINE: Teletype part No. 128002			2	1.1	0.6	10		128002
	P1	F		5815-524-3426	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 135716			2	1.5	0.8	10		135716
	P1	F		5815-412-5080	†	†				DRUM, CLUTCH: Teletype part No. 150000			5	1.4	0.7	15		150000
	P1	F		5815-370-0263	†	†				DRUM, CLUTCH: Teletype part No. 150001			1	0.5	0.3	3		150001
	P1	F		5815-370-0264	†	†				CAM: Teletype part No. 150003			1	0.5	0.3	5		150003
	P1	F		5815-370-1110	†	†				CAM: Teletype part No. 150004			1	0.5	0.3	5		150004
	P1	F		5815-369-9164	†	†				PLATE, RETAINER: Teletype part No. 150010			1	0.5	0.3	2		150010
	P1	F		5815-370-0937	†	†				ARM: Teletype part No. 150013			4	1.1	0.6	20		150013
	P1	F		5815-370-0938	†	†				DISK, FRICTION: Teletype part No. 150014			2	0.7	0.3	20		150014
	P1	F		5815-370-0265	†	†				SPACER: Teletype part No. 150016			1	0.5	0.3	5		150016
	P1	F		5815-370-0939	†	†				LEVER: Teletype part No. 150026			3	0.9	0.5	15		150026
	P1	F		5815-370-1058	†	†				SHOE, CLUTCH: Teletype part No. 150027			2	0.7	0.5	10		150027
	P1	F		5815-697-9389	†	†				WICK: Teletype part No. 150029			6	3.1	2.0	240		150029
	P1	F		5815-370-1360	†	†				ROLLER, BEARING: Teletype part No. 150030			3	1.5	0.8	15		150030
	P1	F		5815-370-0942	†	†				DISK ASSEMBLY: Teletype part No. 150033			2	0.7	0.3	6		150033
	P1	F		5815-370-0944	†	†				DISK ASSEMBLY: Teletype part No. 150035			2	0.7	0.3	6		150035
	P1	F		5815-370-0945	†	†				LATCH: Teletype part No. 150038			1	0.5	0.3	3		150038
	P1	F		5815-370-0267	†	†				SLIDE: Teletype part No. 150039			1	0.5	0.3	3		150039
	P1	F		5305-637-5374	†	†				SCREW, MACHINE: Teletype part No. 150040			8	1.8	1.0	40		150040
	P1	F		5815-370-1059	†	†				SHOE, CLUTCH: Teletype part No. 150043			6	1.5	0.8	18		150043

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL					(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
														3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2	3	4	5	TT-47A,UG; TT-47B/UG; TT-47C,UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5815-370-1060	†	†				SHOE, CLUTCH: Teletype part No. 150044			6	1.5	0.8	18		150044
	P1	F		5815-370-0268	†	†				BEARING, PLAIN, FLANGED: Teletype part No. 150045			2	1.5	0.8	10		150045
	P1	F		5815-370-0269	†	†				BEARING, PLAIN, SLEEVE: Teletype part No. 150046			1	0.5	0.3	5		150046
	P1	F		5815-370-0270	†	†				BEARING, PLAIN, SLEEVE: Teletype part No. 150047			2	1.5	0.8	10		150047
	P1	F		5815-370-0827	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 150048			3	2.6	1.7	25		150048
	P1	F		5815-370-0480	†	†				WASHER, FLAT: Teletype part No. 150050			2	0.7	0.3	10		150050
	P1	F		5815-370-0272	†	†				CAM: Teletype part No. 150051			1	0.5	0.3	5		150051
	P1	F		5815-219-7004	†					CAM: Teletype part No. 150052			1	0.5	0.3	5		150052
	P1	F		5815-370-0479	†	†				LEVER: Teletype part No. 150053			1	0.5	0.3	5		150053
	P1	F		5815-370-1111	†	†				BAIL: Teletype part No. 150054			1	0.5	0.3	3		150054
	P1	F		5815-370-0478	†	†				STUD: Teletype part No. 150055			2	0.7	0.3	6		150055
	P1	F		5815-370-0602	†	†				ARM: Teletype part No. 150056			1	0.5	0.3	5		150056
	P1	F		5815-370-0859	†	†				BAIL: Teletype part No. 150059			1	0.5	0.3	3		150059
	P1	F		5815-370-1145	†	†				HEAD: Teletype part No. 150061			1	0.5	0.3	3		150061
	P1	F		5815-370-0948	†	†				STUD: Teletype part No. 150064			1	0.5	0.3	2		150064
	P1	F		5815-370-1061	†	†				LEVER: Teletype part No. 150068			1	0.5	0.3	5		150068
	P1	F		5815-370-0474	†	†				CONE, BEARING: Teletype part No. 150072			2	0.7	0.3	10		150072
	P1	F		5815-370-0473	†	†				CONE, BEARING: Teletype part No. 150073			4	1.1	0.6	20		150073
	P1	F		5815-370-0471	†	†				ROLLER: Teletype part No. 150076			3	0.9	0.5	5		150076
	P1	F		5815-370-1190	†					SPRING, HELICAL, TORSION: Teletype part No. 150077			64	16.0	7.8	220		150077
	P1	F		5310-208-8161	†	†				NUT, SLEEVE: Teletype part No. 150078			1	0.7	0.3	5		150078
	P1	F		5815-370-0360	†	†				STUD: Teletype part No. 150079			1	0.7	0.3	2		150079
	P1	F		5305-207-5590	†	†				SCREW, MACHINE: Teletype part No. 150089			3	1.5	0.8	15		150089
	P1	F		5815-370-0464	†	†				GEAR, HELICAL: Teletype part No. 150091			1	1.4	0.7	4		150091
	P1	F		5815-370-0461	†	†				GUIDE: Teletype part No. 150099			1	0.5	0.3	3		150099
	P1	F		5815-370-1112	†	†				STUD: Teletype part No. 150175			1	0.5	0.3	2		150175
	P1	F		5815-370-0482	†	†				LINK: Teletype part No. 150184			1	0.5	0.3	2		150184
				5815-370-0486	†	†				BAIL: Teletype part No. 150196			1	0.5	0.3	10.0		150196
	P1	F		5815-370-0361	†	†				BUSHING: Teletype part No. 150193			1	0.5	0.3	3		150193
	P1	F		5815-370-0485	†	†				HUB: Teletype part No. 150194			1	0.5	0.3	2		150194
	P1	F		5307-207-7730	†	†				STUD: Teletype part No. 150197			2	0.7	0.3	4		150197
	P1	F		5815-370-0362	†	†				GEAR, HELICAL: Teletype part No. 150202			1	0.7	0.3	4		150202

†TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL						(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
															3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2					TT-47/UG; TT-47B/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5815-370-0493	+	+					ECCENTRIC: Teletype part No. 150204			2	0.7	0.3	8		150204
	P1	F		5815-370-0494	+	+					SPACER: Teletype part No. 150206			1	0.5	0.3	5.0		150206
				5815-370-0498	+	+					BAIL: Teletype part No. 150208			1	0.5	3.0	5.0		150208
	P1	F		5815-370-0483	+	+					STUD, BEARING: Teletype part No. 150214			1	0.5	0.3	2		150214
	P1	F		5815-370-0603	+	+					BLOCK: Teletype part No. 150215			1	0.5	0.3	2		150215
	P1	F		5815-287-8151	+	+					BUSHING, SLEEVE: Teletype part No. 150218			2	0.7	0.3	4		150218
	P1	F		5305-207-8692	+	+					SCREW, MACHINE: Teletype part No. 150219			2	0.7	0.3	10		150219
	P1	F		5815-537-7702	+	+					PULLEY: Teletype part No. 150224			4	1.1	0.6	12		150224
	P1	F		5815-370-1113	+	+					WIRE, ROPE: Teletype part No. 150225			1	0.9	0.5	3		150225
	P1	F		5815-370-0495	+	+					RETAINER, OIL: Teletype part No. 150232			1	1.4	0.7	5		150232
	P1	F		5815-370-0490	+	+					ROLLER, BEARING: Teletype part No. 150233			1	0.5	0.3	3		150238
	P1	F		5815-370-0496	+	+					ROLLER, BEARING: Teletype part No. 150234			1	0.5	0.3	3		150234
	P1	F		5815-370-0412	+	+					LEVER: Teletype part No. 150237			1	0.5	0.3	5		150237
	P1	F		5815-664-2139	+	+					SPRING, HELICAL, EXTENSION: Teletype part No. 150241			6	3.1	2.0	30		150241
	P1	F		5815-370-0416	+	+					LINK: Teletype part No. 150244			1	0.5	0.3	3		150244
	P1	F		5815-370-0417	+	+					LINK ASSEMBLY: Teletype part No. 150247			2	0.8	0.4	2.0		150247
	P1	F		5815-537-7618	+	+					RATCHET: Teletype part No. 150251			1	0.5	0.3	3		150251
	P1	F		5815-370-0365	+	+					BUSHING: Teletype part No. 150255			2	0.7	0.3	6		150255
	P1	F		5815-370-0860	+	+					BAIL: Teletype part No. 150263			1	0.5	0.3	3		150263
	P1	F		5815-370-0424	+						ROLLER, PRESSURE: Teletype part No. 150269			2	0.7	0.3	4		150269
						+								6	1.5	0.8	12		150269
	P1	F		5815-370-0582	+	+					POST, CODE BAR: Teletype part No. 150289			2	0.8	0.4	2.0		150289
	P1	F		5815-370-0581	+						SLIDE: Teletype part No. 150291			1	0.5	0.3	2		150291
	P1	F		5815-370-0366	+						BUSHING: Teletype part No. 150298			4	1.1	0.6	12		150298
	P1	F		5815-370-0509	+	+					SHIM: Teletype part No. 150302			6	4.2	2.8	30		150302
	P1	F		5815-370-0503	+	+					LEVER: Teletype part No. 150310			1	0.5	0.3	5		150310
	P1	F		5815-370-0502	+	+					LEVER: Teletype part No. 150311			1	0.5	0.3	5		150311
	P1	F		5315-370-0446	+	+					PIN, GROOVED, HEADLESS: Teletype part No. 150318			1	0.5	0.3	3		150318
	P1	F		5815-370-0439	+	+					ROLLER: Teletype part No. 150327			2	0.7	0.3	6		150327
	P1	F		5815-370-0955	+	+					GEAR, SPUR: Teletype part No. 150335			2	0.7	0.3	8		150335
	P1	F		5815-287-8149	+	+					BUSHING: Teletype part No. 150336			4	1.1	0.6	12		150336
	P1	F		5305-370-0958	+	+					SCREW, SHOULDER: Teletype part No. 150342			1	0.5	0.3	5		150342

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL					(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
														3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2				TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
				5815-370-0963	+	+				SHAFT: Teletype part No. 150350			1	0.5	0.3	5.0		150350
	P1	F		5815-370-0864	+	+				POST, ECCENTRIC: Teletype part No. 150351			2	1.1	0.6	2.0		150351
	P1	F		5815-370-0367	+	+				BUSHING: Teletype part No. 150352			1	0.5	0.3	5.0		150352
	P1	F		5307-297-3033	+	+				STUD: Teletype part No. 150353			1	0.5	0.3	3		150353
	P1	F		5815-370-1063	+	+				LEVER: Teletype part No. 150355			4	1.1	0.6	20		150355
	P1	F		5815-040-3129	+	+				LEVER: Teletype part No. 150356			1	0.5	0.3	5		150356
	P1	F		5815-040-3140	+	+				LEVER: Teletype part No. 150358			1	0.5	0.3	5		150358
	P1	F		5340-294-1160	+	+				SPACER, SLEEVE: Teletype part No. 150361			1	0.5	0.3	2.0		150361
				5815-370-0971	+	+				PLATE, CAM: Teletype part No. 150363			1	1.0	0.5	5.0		150363
	P1	F		5815-370-0972	+	+				STUD, ECCENTRIC: Teletype part No. 150364			1	0.5	0.3	3		150364
	P1	F		5815-370-0973	+	+				SHAFT: Teletype part No. 150365			1	0.5	0.3	5		150365
	P1	F		5815-370-0976	+	+				LINK ASSEMBLY: Teletype part No. 150369			1	0.5	0.3	3		150369
	P1	F		5815-370-0977	+	+				LINK: Teletype part No. 150370			1	0.5	0.3	3		150370
	P1	F		5815-370-0978	+					SLIDE: Teletype part No. 150371			1	0.5	0.3	3		150371
	P1	F		5815-370-0983	+	+				ARM: Teletype part No. 150377			1	0.5	0.3	3		150377
	P1	F		5815-370-0984	+					STUD: Teletype part No. 150380			1	0.5	0.3	3		150380
	P1	F		5815-370-0985	+	+				SHIM: Teletype part No. 150381			11	4.7	3.1	55		150381
	P1	F		5815-370-0986	+	+				BLOCK, GUIDE: Teletype part No. 150382			2	0.7	0.3	4		150382
	P1	F		5815-287-8152	+	+				SPACER, SLEEVE: Teletype part No. 150383			3	0.9	0.5	6		150383
	P1	F		5815-287-8150	+	+				COLLAR: Teletype part No. 150384			1	0.5	0.3	3		150384
	P1	F		5815-370-0981	+	+				LINK, DRIVE: Teletype part No. 150386			1	0.5	0.3	2.0		150386
	P1	F		5815-370-0982	+	+				LINK, RIBBON DRIVE: Teletype part No. 150387			1	0.5	0.3	2.0		150387
	P1	F		5815-370-0990	+	+				BAIL: Teletype part No. 150392			1	0.5	0.3	2.0		150392
	P1	F		5305-637-5474	+	+				SCREW, SHOULDER: Teletype part No. 150395			2	1.1	0.6	10		150395
	P1	F		5815-370-0992	+	+				LEVER: Teletype part No. 150396			1	0.5	0.3	5		150396
	P1	F		5815-370-0993	+	+				LEVER: Teletype part No. 150397			1	0.5	0.3	5		150397
	P1	F		5815-370-0994	+	+				POST, PIVOT: Teletype part No. 150398			1	0.5	0.3	2.0		150398
	P1	F		5815-370-0995	+	+				SHAFT: Teletype part No. 150399			1	0.5	0.3	2.0		150399
	P1	F		5815-370-0996	+	+				CLAMP: Teletype part No. 150401			1	0.5	0.3	2.0		150401
	P1	F		5815-370-0998	+	+				POST: Teletype part No. 150410			1	0.5	0.3	3		150410
	P1	F		5310-285-8084	+	+				WASHER, FLAT: Teletype part No. 150411			2	0.7	0.3	10		150411
	P1	F		5815-370-1000	+	+				ARM, FOLLOWER: Teletype part No. 150412			1	0.5	0.3	2.0		150412
	P1	F		5815-370-1001	+	+				ARM FOLLOWER: Teletype part No. 150413			1	0.5	0.4	5.0		150413

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL						(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
					1	2									3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D								TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5815-370-1002	†	†					BUSHING: Teletype part No. 150414			2	1.1	0.6	5.0		150414
	P1	F		5815-370-0866	†	†					SHAFT: Teletype part No. 150419			2	0.8	0.4	2.0		150419
	P1	F		5815-370-1004	†	†					LEVER ASSEMBLY: Teletype part No. 150420			1	0.5	0.3	5		150420
	P1	F		5815-370-1052	†	†					POST, PIVOT: Teletype part No. 150423			1	0.5	0.3	2.0		150423
	P1	F		5815-370-1005	†	†					LEVER, LOCK: Teletype part No. 150425			2	0.7	0.3	10		150425
	P1	F		5815-370-1007	†	†					LEVER ASSEMBLY: Teletype part No. 150428			1	0.5	0.3	5		150428
	P1	F		5307-510-4777	†	†					STUD: Teletype part No. 150429			1	0.5	0.3	3		150429
	P1	F		5815-040-3137	†	†					LEVER: Teletype part No. 150431			1	0.5	0.3	5		150431
	P1	F		5815-370-0867	†	†					WASHER, SHOULDER: Teletype part No. 150436			3	0.9	0.5	15		150436
	P1	F		5815-370-1014	†	†					GEAR, HELICAL: Teletype part No. 150439			1	1.4	0.7	4		150439
	P1	F		5815-370-1016	†	†					GEAR, HELICAL: Teletype part No. 150441			1	1.4	0.7	4		150441
	P1	F		5815-370-1018	†	†					LEVER: Teletype part No. 150444			1	0.5	0.3	5.0		150444
	P1	F		5815-370-1021	†	†					ARM: Teletype part No. 150447			1	0.5	0.3	5.0		150447
	P1	F		5815-370-1016	†	†					GEAR, HELICAL: Teletype part No. 150441			1	1.4	0.7	4		150441
	P1	F		5815-370-1022	†	†					ARM: Teletype part No. 150450			5	1.4	0.7	15		150450
	P1	F		5815-370-0561	†	†					BEARING: Teletype part No. 150452			1	0.5	0.3	5.0		150452
	P1	F		5815-370-0868	†	†					STUD: Teletype part No. 150471			1	0.7	0.3	3		150471
	P1	F		5815-370-1034	†	†					BRACKET: Teletype part No. 150475			1	0.5	0.3	3.0		150475
	P1	F		5307-370-0871	†	†					STUD: Teletype part No. 150479			3	1.0	0.5	2.0		150479
	P1	F		5815-370-0872	†	†					SHAFT: Teletype part No. 150481			1	0.5	0.3	2.0		150481
	P1	F		5815-370-0873	†	†					PLATE, THREADED: Teletype part No. 150482			1	0.5	0.3	3		150482
	P1	F		5815-664-2146	†	†					SPRING, HELICAL, EXTENSION: Teletype part No. 150507			5	2.6	1.7	25		150507
	P1	F		5815-370-0332	†	†					BRACKET: Teletype part No. 150525			1	0.5	0.3	2		150525
	P1	F		5815-663-3310	†						SPRING, HELICAL, COMPRESSION: Teletype part No. 150535			16	8.5	3.6	30		150535
						†								14	7.5	3.1	70		
	P1	F		5815-664-2140	†	†					SPRING, HELICAL, EXTENSION: Teletype part No. 150536			1	0.7	0.3	5		150536
	P1	F		5815-370-0563	†						BALL, BEARING: Teletype part No. 150537			15	4.2	2.8	75		150537
						†								17	4.7	3.1	85		

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL						(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
															3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2					TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5305-207-7469	†	†					SCREW, MACHINE: Teletype part No. 150543			7	2.6	1.7	35		150543
	P1	F		5815-663-3369	†	†					SPRING, HELICAL, TORSION: Teletype part No. 150558			1	0.9	0.5	5		150558
	P1	F		5815-663-3366	†	†					SPRING, HELICAL, EXTENSION: Teletype part No. 150559			1	0.7	0.5	5		150559
	P1	F		5815-664-2148	†	†					SPRING, HELICAL, EXTENSION: Teletype part No. 150563			1	0.9	0.5	5		150563
	P1	F		5815-502-9397	†						SPRING, CONTACT: Teletype part No. 150576			1	0.9	0.5	5		150576
	P1	F		5815-412-9174	†	†					BAR, LINE FEED: Teletype part No. 150585			2	0.7	0.3	10		150585
	P1	F		5815-370-0544	†	†					LEVER: Teletype part No. 150586			1	0.5	0.3	2.0		150586
	P1	F		5815-412-9175	†						SPRING, CONTACT: Teletype part No. 150588			1	0.9	0.5	5		150588
	P1	F		5815-412-9176	†	†					TRACK: Teletype part No. 150598			1	0.5	0.3	3.0		150598
	P1	F		5815-370-0540	†	†					LEVER: Teletype part No. 150642			1	0.8	0.4	5.0		150642
	P1	F		5305-637-5470	†	†					SCREW, SHOULDER: Teletype part No. 150646			1	0.5	0.3	5		150646
	P1	F		5815-370-0538	†	†					ECCENTRIC: Teletype part No. 150647			1	0.5	0.3	3		150647
	P1	F		5815-370-0537	†	†					ECCENTRIC: Teletype part No. 150648			2	0.7	0.3	6		150648
	P1	F		5815-370-0576	†	†					SPACER: Teletype part No. 150649			1	0.5	0.3	3		150649
	P1	F		5815-370-0610	†	†					BUSHING: Teletype part No. 150650			1	0.5	0.3	3		150650
	P1	F		5815-370-0884	†	†					GEAR, SPUR: Teletype part No. 150651			1	0.5	0.3	5		150651
	P1	F		5305-207-7470	†	†					SCREW, MACHINE: Teletype part No. 150652			2	1.1	0.6	10		150652
	P1	F		5355-370-0380	†	†					KNOB: Teletype part No. 150656			1	0.5	0.3	5		150656
	P1	F		5815-370-0381	†	†					GEAR, SPUR: Teletype part No. 150658			1	0.5	0.3	4		150658
	P1	F		5815-370-0383	†	†					GEAR, SPUR: Teletype part No. 150665			1	1.4	0.7	4		150665
	P1	F		5815-370-0384	†	†					GEAR, SPUR: Teletype part No. 150666			1	0.5	0.3	4		150666
	P1	F		5815-370-0385	†	†					STUD: Teletype part No. 150667			1	0.5	0.3	2		150667
	P1	F		5815-370-0386	†	†					COLLAR: Teletype part No. 150668			1	0.5	0.3	2		150668
	P1	F		5815-370-0387	†	†					SHIM: Teletype part No. 150669			8	3.6	2.4	40		150669
	P1	F		5815-370-0499	†	†					SHIM: Teletype part No. 150670			4	2.0	1.3	20		150670
	P1	F		5815-412-9178	†	†					BEARING: Teletype part No. 150672			1	0.5	0.3	5.0		150672
	P1	F		5815-370-0388	†	†					SHAFT: Teletype part No. 150673			1	0.5	0.3	2.0		150673
	P1	F		5815-412-9181	†	†					PLATE: Teletype part No. 150685			1	0.5	0.3	2.0		150685
	P1	F		5815-370-0340	†	†					POST: Teletype part No. 150687			2	0.8	0.4	2.0		150687
	P1	F		5815-509-9981	†	†					PAWL: Teletype part No. 150677			1	0.5	0.3	4		150677
	P1	F		5815-370-1143	†	†					PAWL: Teletype part No. 150678			1	0.5	0.3	4		150678

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL						(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
															3RD	4TH	5TH	FIGURE NO.	ITEM NO
A	B	C	D		1	2					TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5815-412-9182	+	+					GUIDE, BLOCK: Teletype part No. 150689			3	0.9	0.5	9		150689
	P1	F		5815-370-0391	+	+					STUD: Teletype part No. 150693			2	0.7	0.3	6		150693
	P1	F		5815-412-9183	+	+					SLIDE: Teletype part No. 150694			2	0.7	0.3	6		150694
	P1	F		5815-281-2153	+	+					BUSHING: Teletype part No. 150705			2	0.7	0.3	6		150705
	P1	F		5815-370-0392	+	+					SLEEVE: Teletype part No. 150709			2	1.3	0.7	5.0		150709
	P1	F		5305-207-7087	+	+					SCREW, MACHINE: Teletype part No. 150710			2	0.7	0.3	10		150710
	P1	F		5310-515-6902	+	+					WASHER, FLAT: Teletype part No. 150711			3	0.9	0.5	15		150711
	P1	F		5815-370-1116	+	+					WIRE CORD ASSEMBLY: Teletype part No. 150712			1	0.9	0.5	3		150712
	P1	F		5815-370-1035	+	+					BUSHING, SLEEVE: Teletype part No. 150714			2	0.7	0.3	6		150714
	P1	F		5815-370-0395	+	+					GEAR, SPUR: Teletype part No. 150715			1	0.5	0.3	4		150715
	P1	F		5815-370-0396	+	+					PLATEN, TELETYPEWRITER: Teletype part No. 150718			1	0.5	0.3	4		150718
	P1	F		5815-370-0397	+	+					RETAINER: Teletype part No. 150719			1	0.5	0.3	3		150719
	P1	F		5815-370-0587	+	+					RETAINER: Teletype part No. 150720			1	0.5	0.3	3		150720
	P1	F		5815-370-0586	+	+					ARM: Teletype part No. 150721			1	0.5	0.3	3		150721
	P1	F		5815-370-0585	+	+					ARM: Teletype part No. 150722			1	0.5	0.3	3		150722
	P1	F		5815-412-9187	+	+					RAIL: Teletype part No. 150728			1	0.5	0.3	3		150728
	P1	F		5815-370-0398	+	+					SLIDE: Teletype part No. 150731			1	0.5	0.3	3		150731
	P1	F		5815-370-0399	+	+					SLIDE: Teletype part No. 150732			1	0.5	0.3	3		150732
	P1	F		5815-370-0400	+	+					SLIDE: Teletype part No. 150733			1	0.5	0.3	3		150733
	P1	F		5815-370-0374	+	+					BUSHING: Teletype part No. 150746			1	0.5	0.3	5.0		150746
	P1	F		5305-638-5933	+	+					STUD: Teletype part No. 150748			6	1.5	0.8	3		150748
	P1	F		5309-370-0405	+	+					STUD: Teletype part No. 150752			1	0.5	0.3	3		150752
	P1	F		5815-370-0406	+	+					ROLLER: Teletype part No. 150753			1	0.5	0.3	3		150753
	P1	F		5815-370-0497	+	+					ROLLER: Teletype part No. 150754			1	0.9	0.5	3		150754
	P1	F		5307-370-0407	+	+					STUD: Teletype part No. 150755			1	0.5	0.3	3		150755
	P1	F		5815-370-0886	+	+					ARM: Teletype part No. 150757			1	0.5	0.3	5		150757
	P1	F		5815-302-1539	+	+					PULLEY, GROOVE: Teletype part No. 150758			1	0.5	0.3	3		150758
	P1	F		5815-370-1118	+	+					BELL CRANK: Teletype part No. 150770			1	0.5	0.3	3		150770
	P1	F		5815-370-1119	+	+					BELL CRANK: Teletype part No. 150771			1	0.5	0.3	3		150771
	P1	F		5815-040-3166	+	+					LEVER: Teletype part No. 150776			1	0.5	0.3	5		150776
	P1	F		5815-370-0621	+	+					RAIL: Teletype part No. 150777			1	0.5	0.3	2.0		150777
	P1	F		5815-370-0622	+	+					STUD: Teletype part No. 150781			1	0.5	0.3	3		150781
	P1	F		5815-370-1120	+	+					RATCHET: Teletype part No. 150798			1	0.5	0.3	3		150798
	P1	F		5815-370-0629	+	+					STUD: Teletype part No. 150800			2	0.8	0.4	2.0		150800

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL					(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
														3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2	3	4	5	TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5815-370-0631	†	†				SPRING, FLAT: Teletype part No. 150803			2	0.7	0.3	10		150803
	P1	F		5815-370-0632	†	†				FINGER: Teletype part No. 150804			1	0.5	0.3	5		150804
	P1	F		5815-370-0633	†	†				SHIM: Teletype part No. 150805			2	1.5	0.8	10		150805
	P1	F		5815-370-0635	†	†				RETAINER, OIL: Teletype part No. 150807			2	2.0	1.3	6		150807
	P1	F		5815-370-0636	†	†				GEAR, SPUR: Teletype part No. 150809			1	0.5	0.3	4		150809
	P1	F		5307-370-0376	†	†				STUD: Teletype part No. 150811			1	0.8	0.4	2.0		150811
	P1	F		5815-370-0889	†	†				BUSHING: Teletype part No. 150815			2	0.7	0.3	6		150815
	P1	F		5815-370-0642	†	†				TRACK: Teletype part No. 150824			1	0.5	0.3	2.0		150824
	P1	F		5815-370-0644	†	†				FINGER ASSEMBLY: Teletype part No. 150826			1	0.5	0.3	5		150826
	P1	F		5310-596-4770	†	†				RING: Teletype part No. 150830			2	0.7	0.3	10		150830
	P1	F		5815-370-0891	†	†				RING, LOCK: Teletype part No. 150831			2	0.7	0.3	10		150831
	P1	F		5315-370-0646	†	†				KEY: Teletype part No. 150832			4	1.1	0.6	20		150832
	P1	F		5815-370-0703	†	†				BEARING, BALL, ANNULAR: Teletype part No. 150841			2	0.7	0.3	10		150841
	P1	F		5815-040-3111	†	†				LEVER: Teletype part No. 150889			1	0.5	0.3	5		150889
	P1	F		5815-370-0655	†	†				BLOCK, BEARING: Teletype part No. 150891			1	0.5	0.3	3		150891
	P1	H		5815-370-0892	†	†				ARM: Teletype part No. 150895			1	–	0.3	3		150895
	P1	F		5815-370-0659	†	†				BAIL, DETENT: Teletype part No. 150900			1	0.5	0.3	2.0		150900
	P1	F		5305-637-5471		†				SCREW, MACHINE: Teletype part No. 150909			1	0.7	0.3	5		150909
				5815-370-0411	†	†				BUSHING: Teletype part No. 150911			1	0.5	0.3	3.0		150911
	P1	F		5305-370-0666	†	†				SCREW, MACHINE: Teletype part No. 150912			1	0.5	0.3	5		150912
	P1	F		5815-370-1122	†					STRIPPER: Teletype part No. 150915			1	0.5	0.3	5		150915
	P1	F		5815-370-0894	†	†				ARM: Teletype part No. 150919			1	0.5	0.3	5.0		150919
	P1	F		5330-370-0668	†	†				WASHER, NON-METALLIC: Hart/AMER type 95C123			3	1.9	1.2	30		150923
	P1	F		5815-370-0671	†	†				WASHER, NON-METALLIC: Teletype part No. 150926			4	3.1	2.0	40		150926
	P1	F		5815-370-0672	†	†				OILER, FELT: Teletype part No. 150927			2	2.0	1.3	80		150927
	P1	F		5815-370-0673	†	†				OILER, FELT: Teletype part No. 150929			2	2.0	1.3	80		150929
	P1	F		5815-370-0674	†	†				WASHER, FELT: Teletype part No. 150930			1	0.5	0.3	10		150930
	P1	F		5815-370-0676	†	†				BUSHING, SLEEVE: Teletype part No. 150932			2	0.7	0.3	6		150932
	P1	F		5815-537-7622	†	†				LEVER: Teletype part No. 150937			1	0.5	0.3	5		150937

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL					(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
														3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2	3	4	5	TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5815-370-1036	†	†				BUSHING: Teletype part No. 150961			1	0.5	0.3	3		150961
	P1	F		5815-370-0688	†	†				SPRING, HELICAL, TORSION: Teletype part No. 150969			1	0.5	0.3	3		150969
	P1	F		5815-370-0516	†	†				BEARING, PLAIN, SLEEVE: Teletype part No. 150970			1	0.5	0.3	3		150970
	P1	F		5815-370-0689	†	†				CUP, DASH POT: Teletype part No. 150975			1	0.7	0.3	3		150975
	P1	F		5305-207-5585	†	†				SCREW, MACHINE: Teletype part No. 150978			1	0.5	0.3	5		150978
	P1	F		5340-370-0693	†	†				SPACER: Teletype part No. 150987			2	0.7	0.3	6		150987
	P1	F		5815-370-0694	†	†				WASHER, FELT: Teletype part No. 150990			2	2.0	1.3	20		150990
	P1	F		5815-370-0696	†	†				STUD: Teletype part No. 150992			2	0.7	0.3	6		150992
	P1	F		5815-318-5368	†	†				SCREW, MACHINE: Teletype part No. 151073			3	1.5	0.8	15		151073
	P1	F		5815-664-2149	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 151103			5	2.6	1.7	25		151103
	P1	O		5815-370-0802	†	†				GEAR, HELICAL: Teletype part No. 151131 OR			1	0.5	0.3	4		151131
	P1	O		5815-537-7625	†	†				GEAR, HELICAL: Teletype part No. 151133 OR			1	0.5	0.3	4		151133
	P1	O		5815-537-7626	†	†				GEAR, HELICAL: Teletype part No. 151135			1	0.5	0.3	4		151135
	P1	O		5815-370-0801	†	†				GEAR, HELICAL: Teletype part No. 151130 OR			1	0.5	0.3	4		151130
	P1	O		5815-537-7624	†	†				GEAR, HELICAL: Teletype part No. 151132 OR			1	0.5	0.3	4		151132
	P1	O		5815-370-0773	†	†				GEAR, HELICAL: Teletype part No. 151134			1	0.5	0.3	4		151134
	P1	F		5305-207-8694	†					SCREW, MACHINE: Teletype part No. 151152			20	5.0	2.1	100		151152
						†							10	2.1	2.0	50		
	P1	F		5330-370-0132	†	†				WASHER, FELT: Teletype part No. 151222			3	2.6	1.7	30		151222
	P1	F		5305-207-5579	†	†				SCREW, MACHINE: Teletype part No. 151346			15	4.2	2.8	75		151346
	P1	F		5815-607-3877	†	†				SCREW, MACHINE: Teletype part No. 151442			2	1.5	0.8	10		151442
	P1	F		5815-309-2808	†	†				ECCENTRIC: Teletype part No. 151443			1	0.5	0.3	3		151443
	P1	F		5815-607-3876	†	†				LINK: Teletype part No. 151601			1	0.5	0.3	3		151601
	P1	F		5815-370-0193	†	†				COLLAR, SPACING: Teletype part No. 151603			3	0.9	0.5	9		151603

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL						(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
															3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2					TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5305-637-7351	†	†					SCREW, MACHINE: Teletype part No. 151606			5	1.4	0.7	25		151606
	P1	F		5815-370-0196	†	†					SPRING, FLAT: Teletype part No. 151607			1	0.5	0.3	3		151607
	P1	F		5310-209-0124	†						WASHER, FLAT: Teletype part No. 151610			3	1.5	0.8	15		151610
						†								1	0.7	0.3	5		
	P1	F		5815-370-0200	†	†					BUSHING: Teletype part No. 151611			3	0.9	0.5	9		151611
	P1	F		5815-370-1908	†	†					SPACER: Teletype part No. 151612			3	0.9	0.5	9		151612
	P1	F		5305-201-2154	†	†					SCREW, MACHINE: Teletype part No. 151618			5	2.0	1.3	25		151618
	P1	F		5815-370-0203	†	†					BUSHING: Teletype part No. 151619			1	0.5	0.3	3		151619
	P1	F		5815-370-0207	†	†					NUT, LOCK: Teletype part No. 151629			4	1.8	1.0	5		151629
	P1	F		5305-207-8693	†	†					SCREW, MACHINE: Teletype part No. 151630			31	4.2	2.8	155		151630
	P1	F		5305-207-8695	†	†					SCREW, MACHINE: Teletype part No. 151631			7	1.7	0.9	35		151631
	P1	F		5305-639-3275	†	†					SCREW, MACHINE: Teletype part No. 151632			10	2.0	1.3	50		151632
	P1	F		3110-155-8418	†	†					BEARING, BALL, ANNULAR: Teletype part No. 151633			2	1.5	0.8	10		151633
	P1	F		5305-207-7113	†	†					SCREW, MACHINE: Teletype part No. 151637			18	4.7	3.1	90		151637
	P1	F		5815-370-1089	†	†					LEVER: Teletype part No. 151640			1	0.5	0.3	5		151640
	P1	F		5305-207-8687	†	†					SCREW, MACHINE: Teletype part No. 151642			2	0.7	0.3	10		151642
	P1	F		5815-664-2144	†	†					SPRING, HELICAL, EXTENSION: Teletype part No. 151644			2	1.5	0.8	10		151644
	P1	F		5305-370-0922	†	†					SCREW, MACHINE: Teletype part No. 151657			70	12.5	5.4	350		151657
	P1	F		5305-208-6431	†	†					SCREW, MACHINE: Teletype part No. 151658			20	5.0	2.1	150		151658
	P1	F		5305-207-7114	†	†					SCREW, MACHINE: Teletype part No. 151659			2	1.1	0.6	10		151659
	P1	F		5305-141-4302	†	†					SCREW, MACHINE: Teletype part No. 151661			1	0.7	0.3	5		151661
	P1	F		5815-370-0590	†	†					ROLLER: Teletype part No. 151667			2	0.7	0.3	6		151667
	P1	F		5815-370-0216	†	†					ROLLER: Teletype part No. 151668			2	0.7	0.3	6		151668
	P1	F		5815-370-0217	†	†					SHIM: Teletype part No. 151676			2	1.1	0.6	10		151676
	P1	F		5305-013-1830	†	†					SCREW, MACHINE: Teletype part No. 151685			13	3.6	2.4	65		151685

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL						(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
															3RD	4TH	5TH	FIGURE NO.	ITEM NO
A	B	C	D		1	2					TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5815-370-1168	†	†					SCREW, MACHINE: Teletype part No. 151686			11	3.1	2.0	55		151686
	P1	F		5305-207-7471	†						SCREW, MACHINE: Teletype part No. 151687			2	0.7	0.3	10		151687
	P1	F		5815-370-1167	†	†					SCREW, MACHINE: Teletype part No. 151688			2	0.7	0.3	10		151688
	P1	F		5305-638-4017	†	†					SCREW, MACHINE: Teletype part No. 151689			11	2.0	1.3	55		151689
	P1	F		5305-207-7472	†	†					SCREW, MACHINE: Teletype part No. 151692			25	6.0	2.5	125		151691
	P1	F		5305-207-5591	†	†					SCREW, MACHINE: Teletype part No. 151693			7	3.1	2.0	35		151693
	P1	F		5815-656-2373	†	†					SCREW, MACHINE: Teletype part No. 151695			3	1.5	0.8	15		151695
	P1	F		5305-637-5482	†	†					SCREW, SHOULDER: Teletype part No. 151700			1	0.7	0.3	5		151700
	P1	F		5815-370-0928	†	†					SPRING, HELICAL, TORSION: Teletype part No. 151701			1	0.5	0.3	5		151701
	P1	F		5815-370-0929	†	†					NUT, PLAIN, HEXAGON: Teletype part No. 151702			1	0.5	0.3	5		151702
	P1	H		5315-370-1090	†	†					PIN: Teletype part No. 151703			1	–	0.3	3		151703
	P1	F		5815-370-1131	†	†					ARM: Teletype part No. 151709			1	0.5	0.3	3		151709
	P1	F		5815-663-3359	†						SPRING, HELICAL, TORSION: Teletype part No. 151713			1	0.9	0.5	2		151713
	P1	F		5815-664-2154	†	†					SPRING, HELICAL, EXTENSION: Teletype part No. 151714			1	0.9	0.5	5		151714
	P1	F		5815-370-1177	†	†					SPRING, HELICAL, EXTENSION: Teletype part No. 151715			1	0.9	0.5	5		151715
	P1	F		5305-141-4877	†	†					SCREW, MACHINE: Teletype part No. 151721			3	1.5	0.8	15		151721
	P1	F		5305-332-8882	†	†					SCREW, MACHINE: Teletype part No. 151722			14	4.2	2.8	70		151722
	P1	F		5305-637-6343	†	†					SCREW, MACHINE: Teletype part No. 151723			4	1.8	1.0	20		151723
	P1	F		5815-663-3355	†	†					SPRING, HELICAL, EXTENSION: Teletype part No. 151728			4	2.0	1.3	20		151728
	P1	F		5305-638-7409	†	†					SCREW, MACHINE: Teletype part No. 151731			2	1.1	0.6	10		151731
	P1	F		5310-209-1239	†	†					SPRING, HELICAL, EXTENSION: Teletype part No. 151736			4	2.0	1.3	20		151736
	P1	F		5305-208-6405	†	†					SCREW, MACHINE: Teletype part No. 151737			14	4.2	2.8	70		151737
	P1	F		5305-207-5581	†	†					SCREW, MACHINE: Teletype part No. 151738N			1	2.0	1.3	5		15738N
	P1	F		5305-370-1186	†	†					SCREW, MACHINE: Teletype part No. 151739			1	0.5	0.3	5		151739

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL						(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
															3RD	4TH	5TH	FIGURE NO.	ITEM NO
A	B	C	D		1	2					TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5815-370-1260	†	†					WASHER, SADDLE: Teletype part No. 151794			2	0.7	0.3	10		151794
	P1	F		5310-514-7394	†	†					NUT, HEXAGON: Teletype part No. 151880			4	1.5	0.8	20		151880
	P1	F		5340-370-2009	†	†					SPRING, HELICAL, EXTENSION: Teletype part No. 152129			1	1.4	0.7	5		152129
	P1	F		9390-331-0327	†	†					WICK: Teletype part No. 152254			2	2.0	1.3	80		152254
	P1	F		5815-313-8804	†	†					BAR, CODE: Teletype part No. 152255			3	1.9	1.2	15		152255
	P1	F		5815-320-8116	†	†					BAR, CODE: Teletype part No. 152256			3	1.9	1.2	15		152256
	P1	F		5340-309-0809	†	†					SPRING, HELICAL, EXTENSION: Teletype part No. 152257			3	2.6	1.7	15		152257
	P1	F		5815-370-1461	†	†					GUIDE: Teletype part No. 152401			2	1.3	0.7	5.0		152401
	P1	F		5815-370-1462	†	†					GUIDE: Teletype part No. 152402			2	1.3	0.7	5.0		152402
	P1	F		5815-370-1463	†	†					BRACKET, COMB: Teletype part No. 152403			1	0.5	0.3	2.0		152403
	P1	F		5815-370-1464	†	†					BRACKET: Teletype part No. 152404			1	0.5	0.3	2.0		152404
	P1	F		5815-370-1465	†	†					LEVER: Teletype part No. 152405			1	0.5	0.3	5		152405
	P1	F		5815-370-1466	†	†					BRACKET: Teletype part No. 152406			1	0.5	0.3	2.0		152406
	P1	F		5815-370-1467	†	†					LEVER: Teletype part No. 152407			1	0.5	0.3	5		152407
	P1	F		5815-370-1468	†	†					LEVER: Teletype part No. 152408			1	0.5	0.3	5		152408
	P1	F		5815-370-1469	†	†					LEVER: Teletype part No. 152409			5	1.4	0.7	25		152409
	P1	F		5815-370-1470	†	†					BAIL: Teletype part No. 152410			1	0.5	0.3	3		152410
	P1	F		5815-370-1471	†	†					LEVER: Teletype part No. 152411			5	1.4	0.7	25		152411
	P1	F		5815-370-1472	†	†					LINK: Teletype part No. 152412			2	0.8	0.4	2.0		152412
	P1	F		5815-370-1262	†	†					STUD: Teletype part No. 152415			1	0.5	0.3	3		152415
	P1	F		5815-370-1474	†						ARMATURE, ELECTRICAL ACTUATOR: Teletype part No. 152422			1	0.9	0.5	5		152422
	P1	F		5815-370-1251	†	†					POST, SPRING: Teletype part No. 152425			1	0.5	0.3	3		152425
	P1	F		5310-208-4021	†	†					NUT, SELF-LOCKING, HEXAGON: Teletype part No. 152426			1	0.5	0.3	5		152426
	P1	F		5815-370-1475	†	†					LATCH, LEVER: Teletype part No. 152427			1	0.5	0.3	3		152427
	P1	F		5815-370-1715	†	†					SELECTOR: Teletype part No. 152429			1	0.5	0.3	5		152429
	P1	F		5815-370-1476	†	†					ARM: Teletype part No. 152432			1	0.5	0.3	3		152432
	P1	F		5815-370-1717	†	†					DIAL, CONTROL: Teletype part No. 152436			1	0.5	0.3	3		152436
	P1	F		5815-537-7632	†	†					BAIL: Teletype part No. 152438			1	0.5	0.3	3		152438
	P1	F		5310-209-4222	†	†					WASHER, FLAT: Teletype part No. 152441			4	1.8	1.0	20		152441

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL						(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
															3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2					TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5815-266-4357	†	†					SPRING, HELICAL, EXTENSION: Teletype part No. 152445			1	0.5	0.3	5		152445
	P1	F		5815-370-1483	†	†					SHAFT: Teletype part No. 152447			1	0.5	0.3	5		152447
	P1	F		5815-370-1250	†	†					CAM, SELECTOR: Teletype part No. 152450			1	0.5	0.3	5		152450
	P1	F		5815-092-1423	†	†					WICK: Teletype part No. 152457			1	0.5	0.3	40		152457
	P1	F		5815-370-1835	†	†					LATCH: Teletype part No. 152462			2	0.7	0.3	10		152462
	P1	F		5815-370-1836	†	†					LATCH: Teletype part No. 152463			2	0.7	0.3	10		152463
	P1	F		5970-370-1837	†	†					INSULATOR, PLATE: Teletype part No. 152461			2	0.7	0.3	6		152464
	P1	F		5935-201-8209	†	†					CONNECTOR, RECEPTACLE, ELECTRICAL: Teletype part No. 152467			1	0.5	0.3	5		152467
	P1	F		5815-608-5837	†	†					WICK ASSEMBLY: Teletype part No. 152494			1	1.4	0.7	20		152494
	P1	F		5815-313-5963	†						GUIDE, RIBBON: Teletype part No. 152501			1	0.5	0.3	5		152501
	P1	F		5815-370-1718		†					BRACKET, TYPE TAPE: Teletype part No. 152502			1	0.5	0.3	2		152502
	P1	F		5815-370-1741	†	†					LINK, LEVER: Teletype part No. 152503			1	0.5	0.3	3		152503
	P1	F		5815-092-1424	†	†					STUD: Teletype part No. 152505			1	0.8	0.4	2.0		152505
	P1	F		5815-370-1487	†	†					ROLLER, DETENT: Teletype part No. 152507			1	0.5	0.3	3		152507
	P1	F		5815-370-1488	†	†					BRACKET: Teletype part No. 152508			1	0.5	0.3	2.0		152508
	P1	F		5815-370-1489	†	†					BRACKET: Teletype part No. 152509			1	0.5	0.3	2.0		152509
	P1	F		5815-370-1490	†	†					LEVER: Teletype part No. 152510			2	0.7	0.3	10		152510
	P1	F		5815-370-1491	†	†					BAIL: Teletype part No. 152514			1	0.5	0.3	2.0		152514
	P1	F		5815-370-1492	†	†					LEVER: Teletype part No. 152515			1	0.5	0.3	5		152515
	P1	F		5815-370-1248	†	†					SLIDE: Teletype part No. 152516			1	0.5	0.3	3		152516
	P1	F		5815-370-1247	†	†					BAIL: Teletype part No. 152518			1	0.5	0.5	2.0		152518
	P1	F		5815-370-1493	†	†					SLIDE: Teletype part No. 152521			1	0.5	0.3	3		152521
	P1	F		5815-370-1411							LEVER: Teletype part No. 152522			1	0.5	0.3	5.0		152522
	P1	F		5815-370-1494	†	†					SPRING, FLAT: Teletype part No. 152523			2	0.7	0.3	6		152523
	P1	F		5815-370-1495	†	†					BRACKET: Teletype part No. 152524			2	0.8	0.4	2.0		152524
	P1	F		5815-370-1496	†	†					HUB: Teletype part No. 152525			2	0.8	0.4	2.0		152525
	P1	F		5815-370-1497	†	†					PLATE: Teletype part No. 152526			1	0.5	0.3	3		152526
	P1	F		5815-370-1498	†	†					PLATE: Teletype part No. 152527			1	0.5	0.3	3		152527
	P1	F		5815-370-1499	†	†					RATCHET, RIBBON: Teletype part No. 152528			1	0.5	0.3	5.0		152528
	P1	F		5815-370-1500	†	†					RATCHET, RIBBON: Teletype part No. 152529			1	0.5	0.3	5.0		152529
	P1	F		5815-370-1502	†	†					RAIL: Teletype part No. 152536			1	0.5	0.3	2.0		152536
	P1	F		5815-370-1504	†	†					LEVER: Teletype part No. 152545			1	0.5	0.3	5		152545
	P1	F		5815-370-1721	†	†					BRACKET: Teletype part No. 152546			1	0.5	0.3	2.0		152546

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL						(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
															3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2					TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5815-370-1840	†	†					BAR, CODE: Teletype part No. 152548			3	0.9	0.5	15		152548
	P1	F		5815-320-8116	†						BAR, CODE: Teletype part No. 152549			3	0.9	0.5	15		152549
	P1	F		5815-370-1722		†					CLAMP: Teletype part No. 152550			1	0.5	0.3	5.0		152550
	P1	F		5815-370-1507	†	†					BAR, CODE: Teletype part No. 152551			2	0.7	0.3	10		152551
	P1	F		5815-370-1508	†	†					BAR, CODE: Teletype part No. 152552			1	0.5	0.3	5		152552
	P1	F		5815-370-1509	†	†					BAR, CODE: Teletype part No. 152553			1	0.5	0.3	5		152553
	P1	F		5815-370-1510	†						BAR, CODE: Teletype part No. 152554			1	0.5	0.3	5		152554
	P1	F		5815-370-1787	†	†					PLATE, REAR: Teletype part No. 152560			1	0.5	0.3	2.0		152560
	P1	F		5815-370-1723	†	†					SPACER, SLEEVE: Teletype part No. 152571			3	0.9	0.5	9		152571
	P1	F		5815-370-1725	†	†					RETAINER: Teletype part No. 152573			1	0.5	0.3	3		152573
	P1	F		5815-370-1986	†	†					PLATE, GUIDE: Teletype part No. 152574			1	0.5	0.3	2.0		152574
	P1	F		5815-370-1515	†	†					BRACKET: Teletype part No. 152575			1	0.5	0.3	2.0		152575
	P1	F		5815-370-1516	†	†					BRACKET: Teletype part No. 152576			1	0.5	0.3	2.0		152576
	P1	F		5307-515-7927	†	†					SHAFT: Teletype part No. 152582			1	0.5	0.3	2.0		152582
	P1	F		5815-370-1518	†	†					BEARING, SLEEVE: Teletype part No. 152583			1	0.5	0.3	3		152583
	P1	F		5815-370-1519	†	†					LEVER: Teletype part No. 152584			1	0.5	0.3	5		152584
	P1	F		5815-370-1520	†	†					LEVER: Teletype part No. 152585			1	0.5	0.3	5		152585
	P1	F		5815-370-1413	†	†					SLIDE: Teletype part No. 152595			1	0.5	0.3	5.0		152595
	P1	F		5815-370-1526	†	†					SHIFT: Teletype part No. 152596			1	0.5	0.3	3		152596
	P1	F		5815-370-1528	†	†					POST, BEARING: Teletype part No. 152598			1	0.5	0.3	2.0		152598
	P1	F		5815-370-1529	†	†					POST, BEARING: Teletype part No. 152599			1	0.8	0.4	2.0		152599
	P1	F		5815-370-1530	†	†					WASHER, FELT: Teletype part No. 152629			2	1.5	0.8	20		152629
	P1	F		5815-370-1531	†	†					SHAFT: Teletype part No. 152630			2	1.1	0.6	10		152630
	P1	F		5310-205-8356	†	†					SHIM: Teletype part No. 152634			2	1.1	0.6	10		152634
	P1	F		5815-370-1535	†	†					LEVER: Teletype part No. 152635			1	0.5	0.3	5		152635
	P1	F		5815-370-1536	†	†					LEVER: Teletype part No. 152636			1	0.5	0.3	5		152636
	P1	F		5815-370-1537	†	†					LEVER: Teletype part No. 152637			1	0.5	0.3	5		152637
	P1	F		5815-370-1538	†	†					LEVER: Teletype part No. 152638			1	0.5	0.3	5		152638
	P1	F		5815-370-1539	†	†					LEVER: Teletype part No. 152639			1	0.5	0.3	5		152639
	P1	F		5815-370-1540	†	†					LEVER: Teletype part No. 152640			1	0.5	0.3	5		152640
	P1	F		5815-370-1416	†	†					LEVER: Teletype part No. 152641			7	1.7	0.9	35		152641
	P1	F		5815-370-1417	†	†					LEVER: Teletype part No. 152642			3	0.9	0.5	15		152642
	P1	F		5815-370-1542	†	†					LEVER: Teletype part No. 152646			1	0.5	0.3	5.0		152646
	P1	F		5815-370-1543	†	†					LEVER: Teletype part No. 152647			1	0.5	0.3	5.0		152647

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL						(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
															3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2					TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5815-370-1544	†	†					STUD, THREADED: Teletype part No. 152648			1	0.5	0.3	2.0		152648
	P1	F		5815-370-1420	†	†					PAWL: Teletype part No. 152653			11	2.0	1.3	55		152653
	P1	F		5815-370-1421	†	†					LEVER: Teletype part No. 152659			1	0.7	0.3	5		152659
	P1	F		5815-370-1549	†	†					PLATE, SPRING: Teletype part No. 152660			10	2.0	1.3	20		152660
	P1	F		5815-606-3451	†	†					LEVER: Teletype part No. 152664			11	3.1	2.0	55		152664
	P1	F		5815-370-1550	†	†					SHAFT: Teletype part No. 152662			1	0.5	0.3	2.0		152662
	P1	F		5815-370-1551	†	†					GUIDE, LEVER: Teletype part No. 152663			1	0.5	0.3	5.0		152663
	P1	F		5815-370-1552	†	†					LEVER, FUNCTION: Teletype part No. 152665			1	0.5	0.3	5		152665
	P1	F		5815-370-1553	†	†					LEVER: Teletype part No. 152666			1	0.5	0.3	5		152666
	P1	F		5815-370-1554	†	†					LEVER, FUNCTION: Teletype part No. 152667			1	0.5	0.3	5		152667
	P1	F		5815-370-1555	†	†					LEVER, FUNCTION: Teletype part No. 152668			2	0.7	0.3	10		152668
	P1	F		5815-370-1556	†	†					LEVER, FUNCTION: Teletype part No. 152669			2	0.7	0.3	10		152669
	P1	F		5815-370-1557	†						LEVER, FUNCTION: Teletype part No. 152670			1	0.5	0.3	5		152670
	P1	F		5815-370-1558	†	†					LEVER, FUNCTION: Teletype part No. 152671			2	0.7	0.3	10		152671
	P1	F		5815-370-1559	†						LEVER, FUNCTION: Teletype part No. 152672			1	0.5	0.3	5		152672
	P1	F		5815-370-1987	†	†					LEVER: Teletype part No. 152708			1	0.5	0.3	5		152708
	P1	F		5815-370-1709	†						ARM: Teletype part No. 152717			1	0.5	0.3	3		152717
	P1	F		5815-663-3312	†	†					SPRING, HELICAL, COMPRESSION: Teletype part No. 152723			2	0.7	0.3	10		152723
	P1	F		5815-092-1426	†						SPRING, HELICAL, EXTENSION: Teletype part No. 152724			2	1.5	0.8	10		152724
	P1	F		5815-663-3311	†	†					SPRING, HELICAL, COMPRESSION: Teletype part No. 152725			2	0.7	0.3	10		152725
	P1	F		4730-752-5998	†	†					BUSHING: Teletype part No. 152726			1	0.8	0.4	5.0		152726
	P1	F		5815-600-0745		†					ARM, CONTACT: Teletype part No. 152734			1	0.5	0.3	5		152734
	P1	F		5815-600-0835		†					SPRING, CONTACT ARM: Teletype part No. 152736			1	0.7	0.3	5		152736
	P1	F		5815-040-3144	†	†					LEVER: Teletype part No. 152818			1	0.5	0.3	5.0		152818
	P1	F		5815-040-3146	†	†					ARM, TELETYPE PRINTER: Teletype part No. 152819			1	0.5	0.3	5.0		152819
	P1	F		5815-040-3164	†	†					ARM, TELETYPE PRINTER: Teletype part No. 152820			1	0.5	0.3	5.0		152820
				5815-040-3165	†	†					ARM, TELETYPE PRINTER: Teletype part No. 152821			1	0.5	0.3	5.0		152821
	P1	F		5815-092-1427	†	†					PIN, DETENT: Teletype part No. 152826			1	0.5	0.3	3		152826
	P1	F		5815-092-1429	†	†					SPRING, HELICAL, TORSION: Teletype part No. 152834			4	1.8	1.0	16		152834
	P1	F		5815-092-1431	†	†					SPRING, HELICAL, EXTENSION: Teletype part No. 152871			1	0.9	0.5	5		152871

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL					(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
														3RD	4TH	5TH	FIGURE NO.	ITEM NO
A	B	C	D		1	2				TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5305-638-3826	+	+				SCREW, MACHINE: Teletype part No. 152887			6	2.0	1.3	30		152887
	P1	F		5305-639-3277	+					SCREW, MACHINE: Teletype part No. 152888			1	0.5	0.3	5		152888
	P1	F		5815-318-5058	+	+				WASHER, FLAT: Teletype part No. 152890			4	1.8	1.0	20		152890
	P1	F		5815-318-5059	+	+				SPRING, HELICAL, EXTENSION: Teletype part No. 152891			1	0.9	0.5	5		152891
	P1	F		5305-638-2281	+	+				SCREW, MACHINE: Teletype part No. 152893			6	1.5	0.8	30		152893
	P1	F		5815-091-9578	+	+				SPRING: Teletype part No. 153172			2	1.5	0.8	10		153172
	P1	F		5815-091-9575	+	+				CLAMP, PLATE: Teletype part No. 153173			2	0.7	0.3	4		153173
	P1	F		5815-091-9582	+	+				LINK: Teletype part No. 153174			1	0.5	0.3	3		153174
	P1	F		5815-091-9581	+	+				LINK: Teletype part No. 153175			1	0.5	0.3	3		153175
	P1	F		5815-091-9580	+	+				LINK: Teletype part No. 153180			1	0.5	0.3	3		153180
	P1	F		5815-091-9570	+	+				LINK: Teletype part No. 153181			1	0.5	0.3	3		153181
	P1	F		5815-091-9569	+	+				SLIDE ASSEMBLY: Teletype part No. 153183			1	0.8	0.4	2.0		153183
	P1	F		5815-524-3415	+	+				POST: Teletype part No. 153184			1	0.5	0.3	2		153184
	P1	F		5815-302-6426	+	+				GEAR, SPUR: Teletype part No. 153236			1	0.5	0.3	4.0		153236
	P1	F		5815-091-9594	+	+				ROLLER: Teletype part No. 153239			2	0.7	0.3	6		153239
	P1	F		5815-091-9588	+	+				BAIL: Teletype part No. 153255			1	0.5	0.3	2.0		153255
	P1	F		5815-091-2157	+	+				BRACKET: Teletype part No. 153256			1	0.5	0.3	2.0		153256
	P1	F		5815-678-8477	+	+				ARM: Teletype part No. 153291			1	0.5	0.3	5.0		153291
	P1	F		5815-566-8821	+	+				PLATE: Teletype part No. 153292			1	0.5	0.3	2		153292
	P1	F		5815-566-8822	+	+				SPACER: Teletype part No. 153293			2	0.7	0.3	6		153293
	P1	F		5815-191-3556	+	+				CAM: Teletype part No. 153294			2	0.7	0.3	10		153294
	P1	F		5815-566-8823	+	+				ECCENTRIC: Teletype part No. 153296			1	0.5	0.3	3		153296
	P1	F		5815-566-8824	+	+				ARM: Teletype part No. 153300			1	0.5	0.3	3		153300
	P1	F		5815-679-8483	+	+				ARM: Teletype part No. 153301			2	0.8	0.4	5.0		153301
	P1	F		5815-679-8484	+	+				BUSHING: Teletype part No. 153304			1	0.5	0.3	3		153304
	P1	F		5815-567-2210	+	+				SPRING, TORSION: Teletype part No. 153305			1	1.4	0.7	3		153305
	P1	F		5815-566-8825	+	+				ARM: Teletype part No. 153311			1	0.5	0.3	5.0		153311
	P1	F		5815-652-2489	+	+				LEVER: Teletype part No. 153312			1	0.5	0.3	5.0		153312
	P1	F		5815-679-8487	+	+				BRACKET ASSEMBLY: Teletype part No. 153314			1	0.5	0.3	2.0		153314
	P1	F		5815-679-8488	+	+				BRACKET: Teletype part No. 153315			1	0.5	0.3	2.0		153315
	P1	F		5815-606-3443	+	+				BAR, CODE: Teletype part No. 153319			1	0.5	0.3	5		153319
	P1	F		5815-566-8826	+	+				BAR, CODE: Teletype part No. 153320			1	0.5	0.3	5		153320

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL						(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
															3RD	4TH	5TH	FIGURE NO.	ITEM NO
A	B	C	D		1	2					TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5815-679-8491	†	†					BAR, TIE: Teletype part No. 153321			1	0.5	0.3	5		153321
	P1	F		5815-567-2211	†	†					RING: Teletype part No. 153323			1	0.5	0.3	5		153323
	P1	F		5815-091-9611	†	†					LINK: Teletype part No. 153331			1	0.5	0.3	3		153331
	P1	F		5815-091-9610	†	†					LINK ASSEMBLY: Teletype part No. 153332			1	0.5	0.3	3		153332
	P1	F		5330-171-6332	†	†					BUSHING: Teletype part No. 153337			2	0.7	0.3	6		153337
	P1	F		5340-302-6719	†	†					SPRING: Teletype part No. 153340			1	0.5	0.3	5		153340
	P1	F		5340-302-6445	†	†					SPRING: Teletype part No. 153341			1	0.5	0.3	5		153341
	P1	F		5815-652-2491	†	†					ARM: Teletype part No. 153367			1	0.5	0.3	5.0		153367
	P1	F		5815-652-2492	†	†					BAIL: Teletype part No. 153368			1	0.5	0.3	2.0		153368
	P1	F		5815-652-2493	†	†					BAIL: Teletype part No. 153382			1	0.5	0.3	2.0		153382
	P1	F		5815-652-2494	†	†					ARM: Teletype part No. 153383			1	0.5	0.3	5.0		153383
	P1	F		5815-566-8827	†	†					BAR: Teletype part No. 153435			1	0.5	0.3	5		153435
	P1	F		5815-566-8828	†	†					BAR: Teletype part No. 153437			1	0.5	0.3	5		153437
	P1	F		5815-524-3425	†	†					DETENT: Teletype part No. 153489			1	0.5	0.3	5		153489
	P1	F		5815-524-3408	†	†					PLATE, ASSEMBLY: Teletype part No. 153530			1	0.5	0.3	2.0		153530
	P1	F		5815-524-3407	†	†					PLATE, ADJUSTING: Teletype part No. 153531			1	0.5	0.3	2.0		153531
	P1	F		5815-524-3418	†	†					SCREW, ADJUSTING: Teletype part No. 153532			1	0.7	0.3	5		153532
	P1	F		5815-524-3411	†	†					ARMATURE: Teletype part No. 153543			1	0.5	0.3	5		153543
	P1	F		5815-652-2497	†	†					LINK ASSEMBLY: Teletype part No. 153550			1	0.5	0.3	5.0		153550
	P1	F		5815-606-3446	†	†					ROLLER: Teletype part No. 153553			1	0.5	0.3	3		153553
	P1	F		5815-652-2500	†	†					BUSHING: Teletype part No. 153558			1	0.5	0.5	3.0		153558
	P1	F		5815-606-3445	†	†					SHAFT: Teletype part No. 153560			1	0.5	0.3	5		153560
	P1	F		5815-679-8568		†					SHAFT: Teletype part No. 153562			3	0.9	0.5	15		153562
	P1	F		5815-571-0132	†	†					ARM: Teletype part No. 153569			1	0.8	0.4	5.0		153569
	P1	F		5815-607-3874		†					ROLLER: Teletype part No. 153574			3	0.9	0.5	9		153574
	P1	F		5815-566-8829	†	†					CAM: Teletype part No. 153576			1	0.5	0.3	5		153576
	P1	F		5815-607-3873	†	†					WASHER: Teletype part No. 153577			1	0.5	0.3	5		153577
	P1	F		5815-606-3457	†	†					STUD: Teletype part No. 153582			1	0.5	0.3	3		153582
	P1	F		5815-571-0133	†	†					LEVER, TRIP: Teletype part No. 153583			1	0.8	0.4	5.0		153583
	P1	F		5815-571-0134	†	†					LEVER, LATCH: Teletype part No. 153584			1	0.8	0.4	5.0		153584
	P1	F		5815-524-3424	†	†					FORK: Teletype part No. 153608			1	0.5	0.3	5		153608
	P1	F		5310-514-7345	†	†					ROLLER: Teletype part No. 153609			1	0.5	0.3	3		153609
	P1	F		5815-524-3414	†	†					STUD: Teletype part No. 153644			2	1.5	0.8	5.0		153644
	P1	F		5815-524-3421	†	†					PLATE: Teletype part No. 153645			2	0.8	0.4	2.0		153645

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL					(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
														3RD	4TH	5TH	FIGURE NO.	ITEM NO
A	B	C	D		1	2				TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5310-514-7346	†	†				BUSHING: Teletype part No. 153646			4	1.1	0.6	12		153646
	P1	F		5815-624-0078	†	†				PLATE: Teletype part No. 153647			1	0.5	0.3	2.0		153647
	P1	F		5815-524-3423	†	†				SLIDE, LEVER: Teletype part No. 153795			2	1.5	0.8	5.0		153795
	P1	F		5815-313-5963	†	†				GUIDE: Teletype part No. 153810			1	0.5	0.3	3		153810
	P1	F		5305-514-7391	†	†				SCREW, MACHINE: Teletype part No. 153817			4	1.8	1.0	20		153817
	P1	F		5310-524-3413	†	†				WASHER, LOCK: Teletype part No. 153819			3	1.5	0.8	15		153819
	P1	F		5815-509-8909	†	†				COLLAR: Teletype part No. 153823			1	0.5	0.3	3		153823
	P1	F		5815-524-3417	†	†				CLAMP: Teletype part No. 153824			1	0.5	0.3	2		153824
	P1	F		5815-309-2807	†	†				SCREW, MACHINE: Teletype part No. 153839			3	1.5	0.8	15		153839
	P1	F		5305-531-0763	†	†				SCREW, MACHINE: Teletype part No. 153841			3	1.5	0.8	15		153841
	P1	F		5815-606-3458	†	†				LATCH, LEVER: Teletype part No. 154613			1	0.5	0.3	3		154613
	P1	F		5815-652-1581	†	†				CAM: Teletype part No. 154614			1	0.5	0.3	2.0		154614
	P1	F		5815-606-3463	†	†				WICK: Teletype part No. 154620			1	0.7	0.3	40		154620
	P1	F		5815-691-5631	†	†				RETAINER: Teletype part No. 154621			1	0.7	0.3	3		154621
	P1	F		5815-677-0096	†	†				LUBRICATOR: Teletype part No. 154622			2	0.5	0.3	50		154622
	P1	F		5815-652-1584	†	†				RING ASSEMBLY: Teletype part No. 154624			1	0.8	0.4	5.0		154624
	P1	F		5815-652-1585	†	†				RING: Teletype part No. 154626			1	0.8	0.4	10		154626
	P1	F		5815-524-3420	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 154638			1	0.9	0.5	5		154638
	P1	F		5815-606-3461	†	†				ARM: Teletype part No. 154649			1	0.5	0.3	3		154649
	P1	F		5815-567-2212	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 154688			2	1.5	0.8	5		154688
	P1	F		5815-370-0940	†	†				DISK ASSEMBLY: Teletype part No. 154694			2	0.7	0.3	3		154694
	P1	F		5815-566-8830	†	†				SPACER: Teletype part No. 155044			2	0.7	0.3	6		155044
	P1	F		5305-514-7392	†	†				SCREW, MACHINE: Teletype part No. 155046			2	1.1	0.6	10		155046
	P1	F		3010-524-3428	†	†				DISK: Teletype part No. 155047			2	0.7	0.3	6		155047
	P1	F		5815-524-3416	†	†				STUD: Teletype part No. 155081			1	0.5	0.3	2.0		155081
	P1	F		5815-606-5372	†	†				STUD: Teletype part No. 155096			1	0.5	0.3	3		155096
	P1	F		5815-606-3484	†	†				SCREW, SHOULDER: Teletype part No. 155099			2	1.1	0.6	10		155099
	P1	F		5815-606-3486	†	†				SCREW, MACHINE: Teletype part No. 156632			1	0.7	0.3	5		156632
	P1	F		5815-677-0095	†	†				RETAINER: Teletype part No. 157194			2	0.8	0.4	10.0		157194
	P1	F		5340-545-2785	†	†				SPRING, HELICAL, COMPRESSION: Teletype part No. 157238			64	16.0	7.8	320		157238
	P1	F		5815-567-2213	†	†				SPRING, HELICAL, EXTENSION: Teletype part No. 157240			11	4.7	3.1	55		157240

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL						(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
															3RD	4TH	5TH	FIGURE NO.	ITEM NO
A	B	C	D		1	2					TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5815-566-8459	+	+					SHAFT: Teletype part No. 157261			2	0.8	0.4	2.0		157261
	P1	F		5815-545-2804	+	+					PALLET, TYPE: Teletype part No. 157600			1	0.7	0.3	5		157600
	P1	F		5815-545-2805	+	+					PALLET, TYPE: Teletype part No. 157601			1	0.7	0.3	5		157601
	P1	F		5815-545-2806	+	+					PALLET, TYPE: Teletype part No. 157602			1	0.7	0.3	5		157602
	P1	F		5815-545-2807	+	+					PALLET, TYPE: Teletype part No. 157603			1	0.7	0.3	5		157603
	P1	F		5815-545-2808	+	+					PALLET, TYPE: Teletype part No. 157604			1	0.7	0.3	5		157604
	P1	F		5815-545-2809	+	+					PALLET, TYPE: Teletype part No. 157605			1	0.7	0.3	5		157605
	P1	F		5815-545-2810	+	+					PALLET, TYPE: Teletype part No. 157606			1	0.7	0.3	5		157606
	P1	F		5815-545-2811	+	+					PALLET, TYPE: Teletype part No. 157607			1	0.7	0.3	5		157607
	P1	F		5815-545-2812	+	+					PALLET, TYPE: Teletype part No. 157608			1	0.7	0.3	5		157608
	P1	F		5815-545-2813	+	+					PALLET, TYPE: Teletype part No. 157609			1	0.7	0.3	5		157609
	P1	F		5815-545-2814	+	+					PALLET, TYPE: Teletype part No. 157610			1	0.7	0.3	5		157610
	P1	F		5815-545-2815	+	+					PALLET, TYPE: Teletype part No. 157611			1	0.7	0.3	5		157611
	P1	F		5815-545-2816	+	+					PALLET, TYPE: Teletype part No. 157612			1	0.7	0.3	5		157612
	P1	F		5815-545-2817	+	+					PALLET, TYPE: Teletype part No. 157613			1	0.7	0.3	5		157613
	P1	F		5815-545-2818	+	+					PALLET, TYPE: Teletype part No. 157614			1	0.7	0.3	5		157614
	P1	F		5815-370-0321	+	+					PALLET, TYPE: Teletype part No. 157615			1	0.7	0.3	5		157615
	P1	F		5815-545-2820	+	+					PALLET, TYPE: Teletype part No. 157616			1	0.7	0.3	5		157616
	P1	F		5815-545-2821	+	+					PALLET, TYPE: Teletype part No. 157617			1	0.7	0.3	5		157617
	P1	F		5815-545-2822	+	+					PALLET, TYPE: Teletype part No. 157618			1	0.7	0.3	5		157618
	P1	F		5815-545-2823	+	+					PALLET, TYPE: Teletype part No. 150619			1	0.7	0.3	5		157619
	P1	F		5815-545-2824	+	+					PALLET, TYPE: Teletype part No. 157620			1	0.7	0.3	5		157620
	P1	F		5815-545-2825	+	+					PALLET, TYPE: Teletype part No. 157621			1	0.7	0.3	5		157621
	P1	F		5815-545-2826	+	+					PALLET, TYPE: Teletype part No. 157622			1	0.7	0.3	5		157622
	P1	F		5815-545-2827	+	+					PALLET, TYPE: Teletype part No. 157623			1	0.7	0.3	5		157623
	P1	F		5815-545-2828	+	+					PALLET, TYPE: Teletype part No. 157624			1	0.7	0.3	5		157624
	P1	F		5815-545-2829	+	+					PALLET, TYPE: Teletype part No. 157625			1	0.7	0.3	5		157625
	P1	F		5815-545-2830	+	+					PALLET, TYPE: Teletype part No. 157626			1	0.7	0.3	5		157626
	P1	F		5815-545-2831	+	+					PALLET, TYPE: Teletype part No. 157627			1	0.7	0.3	5		157627
	P1	F		5815-545-2832	+	+					PALLET, TYPE: Teletype part No. 157628			1	0.7	0.3	5		157628
	P1	F		5815-545-2833	+	+					PALLET, TYPE: Teletype part No. 157629			1	0.7	0.3	5		157629
	P1	F		5815-545-2834	+	+					PALLET, TYPE: Teletype part No. 157630			1	0.7	0.3	5		157630
	P1	F		5815-545-2835	+	+					PALLET, TYPE: Teletype part No. 157631			1	0.7	0.3	5		157631
	P1	F		5815-545-2836	+	+					PALLET, TYPE: Teletype part No. 157632			1	0.7	0.3	5		157632

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL						(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
															3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2					TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5815-545-2837	†	†					PALLET, TYPE: Teletype part No. 157633			1	0.7	0.3	5		157633
	P1	F		5815-545-2838	†	†					PALLET, TYPE: Teletype part No. 157634			1	0.7	0.3	5		157634
	P1	F		5815-370-0298	†	†					PALLET, TYPE: Teletype part No. 157635			1	0.7	0.3	5		157635
	P1	F		5815-545-2840	†	†					PALLET, TYPE: Teletype part No. 157636			1	0.7	0.3	5		157636
	P1	F		5815-545-2841	†	†					PALLET, TYPE: Teletype part No. 157637			1	0.7	0.3	5		157637
	P1	F		5815-545-2842	†	†					PALLET, TYPE: Teletype part No. 157638			1	0.7	0.3	5		157638
	P1	F		5815-545-2843	†	†					PALLET, TYPE: Teletype part No. 157639			1	0.7	0.3	5		157639
	P1	F		5815-545-2844	†	†					PALLET TYPE: Teletype part No. 157640			1	0.7	0.3	5		157640
	P1	F		5815-545-2845	†	†					PALLET TYPE: Teletype part No. 157641			1	0.7	0.3	5		157641
	P1	F		5815-545-2846	†	†					PALLET TYPE: Teletype part No. 157642			1	0.7	0.3	5		157642
	P1	F		5815-566-8770	†	†					PALLET TYPE: Teletype part No. 157643			1	0.7	0.3	5		157643
	P1	F		5815-545-2848	†	†					PALLET TYPE: Teletype part No. 157644			1	0.7	0.3	5		151644
	P1	F		5815-545-2849	†	†					PALLET TYPE: Teletype part No. 157645			1	0.7	0.3	5		157645
	P1	F		5815-545-2850	†	†					PALLET TYPE: Teletype part No. 157646			1	0.7	0.3	5		157646
	P1	F		5815-545-2851	†	†					PALLET TYPE: Teletype part No. 157647			1	0.7	0.3	5		157647
	P1	F		5815-545-2852	†	†					PALLET TYPE: Teletype part No. 157648			1	0.7	0.3	5		157648
	P1	F		5815-545-2853	†	†					PALLET TYPE: Teletype part No. 157649			1	0.7	0.3	5		157649
	P1	F		5815-677-0094	†	†					BLOCK: Teletype part No. 157884			2	0.8	0.4	2.0		157884
	P1	F		5815-677-0093	†	†					ARM: Teletype part No. 157887			4	2.0	1.2	10.0		157887
	P1	F		5815-677-0425	†	†					SPRING: Teletype part No. 157889			4	2.0	1.2	10.0		157889
	P1	F		5815-652-1572	†	†					BELL CRANK: Teletype part No. 157972			1	0.5	0.3	5.0		157972
	P1	F		5815-712-3164	†	†					ARM: Teletype part No. 157973			1	0.5	0.3	5.0		157973
	P1	F		5815-652-1573	†	†					TOGGLE ASSEMBLY: Teletype part No. 157979			1	0.5	0.3	5.0		157979
	P1	F		5307-677-4900	†	†					STUD: Teletype part No. 157991			1	0.5	0.3	2.0		157991
	P1	F		5815-277-4324	†	†					BAIL: Teletype part No. 158352			1	0.5	0.3	2.0		158352
	P1	F		5815-652-2522	†	†					BAIL: Teletype part No. 158353			1	0.5	0.3	2.0		158353
	P1	F		5815-652-2523	†	†					ARM: Teletype part No. 158354			1	0.5	0.3	5.0		158354
											AC MOTOR PD-17A/U								
	P	F		5910-184-3773							CAPACITOR, FIXED, ELECTROLYTIC: Incco part No. 11B103N11			1	2.0	1.3	10		C501

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS	(9)	(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS FIGURE NO	(12) ITEM NO
										3RD	4TH	5TH		
A	B	C	D			TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5930-524-5595		SWITCH, THERMOSTATIC: Teletype part No. 122249			1	0.5	0.3	5		S501
	P1	F		5310-194-1007		WASHER, LOCK: Teletype part No. 2191			5	1.4	0.7	25		2191
	P1	F		5310-537-8522		NUT, PLAIN, HEXAGON: Teletype part No. 2263			2	-	0.6	10		2263
	P1	F		5310-194-1478		WASHER, LOCK: Teletype part No. 3640			8	1.8	1.0	40		3640
	P1	F		5310-193-7591		WASHER, FLAT: Teletype part No. 7002			4	1.1	0.6	20		7002
	P1	H		5310-448-3751		SPRING, HELICAL, COMPRESSION::Teletype part No. 71999			1	-	0.5	5		71999
	P1	H		5310-198-3698		WASHER, FLAT: GE part No. 58529923AA			1	-	0.3	5		122208
	P1	F		5330-292-9954		WASHER, NON-METALLIC: Teletype part No. 87334			4	1.8	1.0	40		87334
	P1	H		3110-144-8990		BEARING, BALL, ANNULAR: MIL Std 102A, identification code No. 111-01002-1000			2	-	1.3	10		122201
	P1	H		5310-616-5971		WASHER, EXTRUDED: Teletype part No. 122211			2	-	0.3	10		122211
	P1	H		5305-638-0580		SCREW, MACHINE: Teletype part No. 122229			2	-	0.3	10		122229
	P1	H		6105-345-9012		STATOR, MOTOR: Teletype part No. 122251			1	-	0.3	3		122251
	P1	H		6150-260-5637		END BELL: Teletype part No. 122252			2	-	0.3	2		122252
	P1	H		6105-574-8270		ROTOR, MOTOR: Teletype part No. 128874			1	-	0.3	3		122255
	P1	F		6150-370-1257		FAN, MOTOR: Teletype part No. 123769			1	0.6	0.3	2.0		123769
	P1	F		5310-193-7389		WASHER, FLAT: Teletype part No. 125011			2	1.1	0.6	10		125011
	P1	F		5305-207-5579		SCREW, MACHINE: Teletype part No. 151346			1	0.7	0.3	5		151346
	P1	F		5305-290-2377		SCREW, MACHINE: Teletype part No. 151621			2	1.1	0.6	10		151621
	P1	F		5815-370-0201		NUT; PLAIN: Teletype part No. 151622			2	1.1	0.6	10		151622
	P1	F		5305-207-7113		SCREW, MACHINE: Teletype part No. 151637			6	20	1.3	30		151637
	P1	F		5815-370-1168		SCREW, MACHINE: Teletype part No. 151686			2	1.1	0.6	10		151686
	P1	F		5305-207-7472		SCREW, MACHINE: Teletype part No. 151692			4	1.8	10	20		151692
	P1	F		6105-322-5366		MOTOR, ALTERNATING CURRENT: Teletype part No. 151795		NX	1	0.5	0.3	3		151795
	P1	F		5935-525-1009		RELAY: Teletype part No. 151923			1	0.9	0.5	5		151923
	P1	F		5815-370-1237		NUT, PLAIN, HEXAGON: Teletype part No. 151926			2	1.1	0.6	10		151926
	P1	H		5815-318-5387		WASHER, FIBRE: Teletype part No. 153049			2	-	0.6	10		153049

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL						(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
															3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2					TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
											POWER DISTRIBUTION PANEL SB-154 UG; SB-964/UG								
											NOTE: Model Column 1 refers to SB-154/UG; Model Column 2 refers to SB-964/UG								
	P1	F		5920-244-5150	†	†					CAP, ELECTRICAL: Bussman part No. HKP-R Item Nos. P/O XF-1101, XF-1102			2	2.0	1.3	10		See desc column
	P1	F		5950-519-9587	†	†					ELECTROMAGNET: Teletype part No. 247M			1	1.4	0.7	5		E1110
	P1	F		5950-302-6447	†	†					ELECTROMAGNET: Teletype part No. 252M			2	2.0	1.3	10		L1101 L1102
	P1	F		5815-448-3600	†	†					SCREW, MACHINE: Teletype part No. 1093			1	0.7	0.3	5		1093
	P1	F		5815-369-9202	†	†					SCREW, MACHINE: Teletype part No. 1157			2	1.1	0.6	10		1157
	P1	F		5815-370-0035	†	†					SCREW, MACHINE: Teletype part No. 1179			8	1.8	1.0	40		1179
	P1	F		5310-186-7453	†	†					WASHER, FLAT: Teletype part No. 2034			4	1.8	1.0	20		2034
	P1	F		5310-194-1007	†	†					WASHER, LOCK: Teletype part No. 2191			35	4.7	3.1	175		2191
	P1	F		5310-199-6954	†	†					NUT, PLAIN, HEXAGON: Teletype part No. 2201			2	0.7	0.3	10		2201
	P1	F		5310-194-8196	†	†					NUT, PLAIN, HEXAGON: Teletype part No. 3598			3	0.9	0.5	15		3598
	P1	F		5310-194-8166	†	†					NUT, PLAIN, HEXAGON: Teletype part No. 3606			6	2.0	1.3	30		3606
	P1	F		5310-194-1478	†	†					WASHER, LOCK: Teletype part No. 3640			4	1.8	1.0	20		3640
	P1	F		5310-197-3306	†	†					WASHER, LOCK: Teletype part No. 3646			3	1.5	0.8	15		3646
	P1	F		5815-526-3859	†	†					SPRING, HELICAL, EXTENSION: Teletype part No. 3870			1	0.9	0.5	5		3870
	P1	F		5330-193-9977	†	†					INSULATOR, WASHER: Teletype part No. 5316			2	1.1	0.6	6		5816
	P1	F		5310-193-7591	†	†					WASHER, FLAT: Teletype part No. 7002			17	2.6	1.7	85		7002
	P1	F		5815-526-1650	†	†					SPRING: Teletype part No. 7603			1	0.9	0.5	5		7603
	P1	F		5310-205-8261	†	†					WASHER; FLAT: MIL Std dwg No. MS15795-206			3	1.5	0.8	15		44048
	P1	F		5815-448-1450	†	†					NUT, PLAIN, HEXAGON: Teletype part No. 49514			2	0.7	0.3	10		49514
	P1	F		5815-448-3693	†						SPRING; HELICAL; COMPRESSION: Teletype part No. 45104			1	0.7	0.3	5		45104
	P1	F		5815-448-3902		†					SPRING; HELICAL; COMPRESSION: Teletype part No. 74882			1	0.9	0.5	5		74882

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL						(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
															3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2					TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5815-448-1696	†	†					SCREW, MACHINE: Teletype part No. 80854			2	1.1	0.6	10		80854
	P1	F		5815-412-7210	†	†					WASHER, FLAT: Teletype part No. 90782			6	2.0	1.3	30		90789
	P1	F		5310-209-4935	†	†					WASHER, LOCK: Teletype part No. 92527			2	1.1	0.1	10		92527
	P1	F		5815-606-5350	†						SWITCH, TOGGLE: C-H part No. 8821			1	0.7	0.3	5		108049
	P1	F		5310-269-7022	†	†					NUT, PLAIN, HEXAGON: Teletype part No. 110435			4	1.8	1.0	20		110435
	P1	F		5305-206-2064	†						SCREW, MACHINE: Teletype part No. 111017			27	6.5	2.6	135		111017
						†								36	7.5	3.1	180		
	P1	F		5920-285-0755	†						FUSEHOLDER: Bussman type No. HKP-Q-LR			2	1.5	0.8	10		116783
						†								1	0.9	0.5	5		
	P1	F		5310-637-4368	†	†					WASHER, SPRING TENSION: Teletype part No. 121125			2	1.1	0.6	10		121125
	P1	F		5340-817-0729	†	†					CLAMP: Commercial Plastics No. CPC1953-3B			4	1.1	0.6	10.0		121245
	P1	F		5340-257-0046	†	†					CLAMP: Commercial Plastics No. 1940-7			6	1.5	0.8	10.0		121247
	P1	F		5310-193-7559	†	†					WASHER, FLAT: Teletype part No. 125390			1	0.7	0.3	5		125390
	P1	O		5920-532-4631		†					FUSE, CARTRIDGE: Littlefuse part No. 313001			1	13.5	11.4	100		129910
	P1	F		5305-207-5579	†						SCREW, MACHINE: Teletype part No. 151346			10	3.1	2.0	50		151346
						†								2	1.1	0.6	10		
	P1	F		5815-370-0177	†	†					CORE: Teletype part No. 151402			2	0.7	0.3	6		151402
	P1	F		5815-370-0179	†	†					INSULATOR: Teletype part No. 151406			1	0.5	0.3	3		151406
	P1	F		5815-370-0219	†	†					LEVER: Teletype part No. 151408			1	0.5	0.3	5		151408
	P1	F		5815-370-0218	†	†					ARMATURE: Teletype part No. 151409			1	0.5	0.3	5		151409
	P1	F		5815-370-0181	†	†					CLIP: Teletype part No. 151410			1	0.5	0.3	3		151410
	P1	F		5815-329-5495	†						TERMINAL BOARD: Teletype part No. 151411			3	0.9	0.5	9		151411
						†								4	1.1	0.6	12		
	P1	F		5815-370-0182	†						INSULATOR: Teletype part No. 151412			3	0.9	0.5	9		151412
						†								4	1.1	0.6	12		
	P1	F		5930-258-5287	†	†					SWITCH, SENSITIVE: Teletype part No. 151414			2	1.5	0.8	10		151414

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL						(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
															3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2					TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5815-370-0185	†						NUT, PLAIN, HEXAGON: Teletype part No. 151416			27	3.6	2.4	135		151416
						†								36	4.7	3.1	180		
	P	O		5920-280-5002	†						FUSE, CARTRIDGE: Teletype part No. 151418			2	40.0	21.9	200		151418
	P1	F		5935-257-6380	†	†					CONNECTOR, RECEPTACLE, ELECTRICAL: Cinch part 12844			1	0.7	0.3	5		151422
	P1	F		5815-370-0188	†	†					PLATE, NUT: Teletype part No. 151427			4	2.0	1.3	20		151427
	P1	F		5945-500-6308	†	†					ARMATURE: INDUCTION COIL: Teletype part No. 151432			1	0.5	0.3	5		151432
	P1	F		5815-370-0190	†						STUD: Teletype part No. 151437			1	0.5	0.3	3		151437
	P1	F		5307-370-0192	†	†					STUD: Teletype part No. 151440			2	0.1	0.3	6		151440
	P1	F		5305-201-2154	†	†					SCREW, MACHINE: Teletype part No. 151618			4	1.8	1.0	20		151618
	P1	F		5305-207-8693	†	†					SCREW, MACHINE: Teletype part No. 151630			3	0.9	0.5	15		151630
	P1	F		5305-639-3275		†					SCREW, MACHINE: Teletype part No. 151632			1	0.5	0.3	5		151632
	P1	F		5305-370-0922	†	†					SCREW, MACHINE: Teletype part No. 151657			6	1.5	0.8	30		151657
	P1	F		5305-208-6431	†						SCREW MACHINE: Teletype part No. 151658			2	1.1	0.6	10		151658
	P1	F		5945-519-7446	†	†					RELAY, ARMATURE: Teletype part No. 151808			1	1.4	0.7	5		151808
	P1	F		5815-607-3871		†					STRAP: Teletype part No. 151827			2	0.7	0.3	6		151827
	P1	F		5935-258-8566	†	†					CONNECTOR, PLUG, ELECTRICAL: Teletype part No. 152465			1	0.5	0.3	5		151465
	P1	F		5935-201-3307	†	†					CONNECTOR, PLUG, ELECTRICAL: Teletype part No. 152466			2	0.7	0.3	10		152466
	P1	F		5815-370-1990	†	†					POST: Teletype part No. 152760			2	0.7	0.3	6		152760
	P1	F		5815-370-2006							POST: Teletype part No. 152761			2	0.7	0.3	6		152761
	P1	F		5905-606-5332	†	†					RESISTOR, FIXED, WIRE WOUND: WL type No. 5F			1	0.9	0.5	5		153157
	P1	F		5815-606-5349		†					STRAP: Teletype part No. 153457			1	0.5	0.3	3		153457
	P1	F		5815-606-5350	†	†					WASHER, FLAT: Teletype part No. 154696			2	0.7	0.3	10		154696
	P1	F		5315-606-5351	†	†					SWITCH, TOGGLE: Teletype part No. 155023			1	0.5	0.3	5		155023

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL					(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	(12)
														3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2	3	4	5	TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
										CABINETS CY-870/UG; CY-870A/UG CY-2538/UG; CY-871/UG; CY-2539/UG								
										NOTE: Model Column 1 refers to CY-870/UG; Column 2 refers to CY-870A/UG; Column 3 refers to CY-2538/UG; Column 4 refers to CY-871/UG; Column 5 refers to CY-2539/UG								
	P	O		6240-797-4370	†			†		LAMP, INCANDESCENT: Fed Spec No. W-L-111, Trade No. 82 Item Nos. E751, E752, E1751			3	4.2	2.8	150		See desc column
	P1	F		5950-519-9587	†	†	†	†	†	ELECTROMAGNET: Teletype part No. 247M			1	0.5	0.3	5		E759
	P1	F		5930-050-2632	†			†		SWITCH, TOGGLE: Spec JAN-S-23, type ST13A			1	0.9	0.5	5		S651
	P1	F		5950-370-1183	†			†		TRANSFORMER, POWER, STEP-DOWN: Teletype part No. 151984			1	0.7	0.3	5		T751
	P1	F		5940-356-2113	†			†		TERMINAL BOARD: Sperry part No. 0229-10-C Item Nos. TB751, TB752, TB753			3	0.9	0.5	9		See desc column
	P1	F		6250-299-5749	†	†	†	†	†	LAMPHOLDER: Dialco part No. 12-71			2	0.7	0.3	10		XE751 XE752
	P1	F		6250-635-9903	†	†	†	†	†	LAMPHOLDER; ASSEMBLY: Teletype part No. 151535			1	0.5	0.3	5		XI-751
	P1	F		5915-501-4551	†	†		†		FILTER, RADIO INTERFERENCE: Teletype part No. 151989			2	1.5	0.8	10		Z751
	P1	F		5815-448-3578	†	†	†	†	†	SCREW, MACHINE: Teletype part No. 151346			1	0.5	0.3	5		1026
	P1	F		5815-448-3579	†	†	†	†	†	SCREW, MACHINE: Teletype part No. 1028			1	0.5	0.3	5		1028
	P1	F		5305-285-5569		†	†	†	†	SCREW, MACHINE: Teletype part No. 1176			3	0.9	0.5	15		1176
	P1	F		5815-370-0035		†	†		†	SCREW, MACHINE: Teletype part No. 1179			2	0.7	0.3	10		1179
	P1	F		5310-194-1007	†	†	†	†	†	WASHER, LOCK: Fed Spec FF-W-81; Class A, Style 2			7 22	1.7 3.1	0.9 2.0	35 100		2191
	P1	F		5310-197-3305	†	†	†	†	†	WASHER, LOCK: Teletype part No. 2449			18	4.7	3.1	90		2449
	P1	F		5815-448-3662			†			NUT, PLAIN, HEXAGON: Teletype part No. 2539			4	1.1	0.6	20		2539
	P1	F		5310-194-1465		†	†		†	WASHER, FLAT: Teletype part No. 2846			4	1.8	1.0	20		2846
	P1	F		5310-188-5016	†	†	†	†	†	WASHER, LOCK: Teletype part No. 2920			4	1.1	0.6	20		2920
	P1	F		5310-194-1468	†	†	†	†	†	WASHER, FLAT: Teletype part No. 3430			5	2.0	1.3	25		3438
	P1	F		5310-194-8196	†	†	†	†	†	NUT, PLAIN, HEXAGON: Teletype part No. 3598			5	1.4	0.7	25		3598

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL					(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
														3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2	3	4	5	TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5310-188-5017	†	†		†	†	WASHER, LOCK: Teletype part No. 3639			31	4.2	2.8	155		3639
					†		†						15	2.6	1.7	75		
	P1	F		5310-194-1478	†	†	†	†	†	WASHER, LOCK: Teletype part No. 3640			4	1.8	1.0	20		3640
	P1	F		5310-197-3306	†	†	†	†	†	WASHER, LOCK: Teletype part No. 3646			1	0.7	0.3	5		3646
	P1	F		5815-237-5884	†	†	†	†	†	SPRING, HELICAL, EXTENSION: Teletype part No. 4703			1	0.9	0.5	5		4703
	P1	F		5310-208-6723	†	†	†	†	†	NUT, PLAIN, HEXAGON: Teletype part No. 6345			2	1.1	0.6	10		6345
	P1	F		5815-691-3165	†	†	†	†	†	SCREW, MACHINE: Teletype part No. 153442			3	1.5	0.8	15		6745
	P1	F		5305-638-6343	†	†	†	†	†	SCREW, MACHINE: Teletype part No. 151723			4	1.1	0.6	20		6810
	P1	F		5310-193-7591	†	†	†	†	†	WASHER, FLAT: Teletype part No. 7002			7	1.7	0.9	35		7002
	P1	F		5815-448-4054	†	†	†	†	†	WASHER, FLAT: Teletype part No. 8333			16	2.6	1.7	80		8333
	P1	F		5815-448-4088	†	†	†	†	†	SCREW, MACHINE: Teletype part No. 8543			6	1.5	0.8	30		8543
	P1	F		5310-193-7377	†			†		WASHER; FLAT: Teletype part No. 34432			2	0.7	0.3	10		34432
	P1	F		5310-193-7371	†	†	†	†	†	WASHER, FLAT: Teletype part No. 35826			12	3.6	2.4	60		35826
	P1	F		5815-448-1450	†			†		NUT, PLAIN, HEXAGON: Teletype part No. 49514			4	1.1	0.6	20		49514
	P1	F		5305-448-1492	†	†	†	†	†	SCREW, MACHINE: Teletype part No. 55219			5	1.4	0.7	25		55219
	P1	F		5310-193-9987	†	†	†	†	†	WASHER, FLAT: Teletype part No. 71858			20	3.1	3.0	100		71858
	P1	F		5305-448-1587	†			†		SCREW, MACHINE: Teletype part No. 74011			2	0.7	0.3	10		74011
	P1	F		5815-448-3860	†	†	†	†	†	SCREW, MACHINE: Teletype part No. 74567			2	1.1	0.6	10		74567
	P1	F		5815-526-3852	†	†	†	†	†	SPRING, HELICAL, EXTENSION: Teletype part No. 74712			2	1.1	0.6	10		74712
	P1	F		5310-285-8087	†	†	†	†	†	WASHER, FLAT: Teletype part No. 76099			1	0.7	0.3	5		76099
	P1	F		5305-207-8693	†	†		†		SCREW, MACHINE: Teletype part No. 151630			3	0.9	0.5	15		80444
	P1	F		5815-369-9930		†	†		†	TERMINAL LUG: Teletype part No. 82474			7	1.7	0.9	35		82474
	P1	F		5310-193-7613		†	†		†	WASHER, FLAT: Teletype part No. 84597			17	4.7	3.1	85		84597
	P1	F		5305-370-1568	†			†		SCREW, SHOULDER: Teletype part No. 85529			1	0.5	0.3	5		85529
	P1	F		5306-370-0728	†			†		SCREW, MACHINE: Teletype part No. 86433			4	1.8	1.0	5		86433
	P1	F		5310-209-4935	†			†		WASHER, LOCK: Teletype part No. 92527			4	1.8	1.0	20		92527

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL					(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
														3RD	4TH	5TH	FIGURE NO.	ITEM NO
A	B	C	D		1	2	3	4	5	TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5305-370-1564	†			†		SCREW, MACHINE: Teletype part No. 100184			3	0.9	0.5	15		100184
	P1	F		5310-537-8135	†			†		NUT, PLAIN, HEXAGON: Teletype part No. 102751			1	0.5	0.3	5		102751
	P1	F		5815-448-2112	†			†		NUT, PLAIN, HEXAGON: Teletype part No. 103612			1	1.1	0.6	20		103612
	P1	F		5310-209-3862	†			†		WASHER, LOCK: Spec MIL-W-6986, type No. MS-35335-30			2	0.7	0.3	10		107116
	P1	F		5815-369-8658		†	†		†	SCREW, MACHINE: Teletype part No. 110434			2	1.1	0.6	10		110434
	P1	F		5310-269-7022	†	†	†	†	†	NUT, PLAIN, HEXAGON: Teletype part No. 110435			1	0.5	0.3	5		110435
	P1	F		5930-615-7896			†		†	SWITCH: Teletype part No. 118734			1	0.7	0.3	5		118734
	P1	F		5310-194-1476	†	†	†	†		WASHER, FLAT: Teletype part No. 125015			1	0.5	0.3	5		125015
	P1	F		5815-369-8686	†	†	†	†	†	NUT, PLAIN, HEXAGON: Teletype part No. 125218			8	1.8	1.0	40		125218
	P1	F		5815-369-8691	†	†	†	†	†	NUT, PLAIN, HEXAGON: Teletype part No. 125231			36	4.7	3.1	160		125231
	P1	F		5815-593-8775		†	†		†	RING, RETAINING: Teletype part No. 128357			1	0.7	0.3	5		128357
	P1	F		5815-370-0161	†			†		STUD: Teletype part No. 151335			6	2.0	1.3	18		151335
	P1	F		5815-370-1068	†	†				GASKET: Teletype part No. 151504			1	1.0	0.5	5.0		151504
	P1	F		5815-370-1069	†	†				GASKET: Teletype part No. 151505			1	1.0	0.5	5.0		151505
	P1	F		5815-370-1070	†	†	†	†	†	BUTTON: Teletype part No. 15107			1	0.5	0.3	3		151507
	P1	F		5815-564-8892	†	†	†	†	†	SPRING, HELICAL, TORSION: Teletype part No. 151508			1	0.9	0.5	5		151508
	P1	F		5815-606-5355	†	†	†	†	†	WASHER, FLAT: Teletype part No. 151509			2	1.1	0.6	10		151509
	P1	F		5815-537-7627	†			†		WINDOW, OBSERVATION: Teletype part No. 151510			1	0.5	0.3	5		151510
	P1	F		5815-606-5344		†	†		†	GASKET: Teletype part No. 151511			1	0.9	0.5	5		151511
	P1	F		5815-606-5356	†	†	†	†	†	BUMPER, RUBBER: Teletype part No. 151512			2	0.7	0.3	20		151512
	P1	F		5930-696-5049	†	†	†	†	†	BUTTON, PLUG: Teletype part No. 151515			1	0.5	0.3	3		151515
	P1	F		5815-606-5357	†	†	†	†	†	BUSHING: Teletype part No. 151523			1	0.5	0.3	3		151523
	P1	F		5310-370-0593	†	†	†	†	†	THUMBSCREW: Teletype part No. 151526			2	0.7	0.3	10		151526
	P1	F		5815-510-4743	†			†		SPRING, HELICAL, TORSION: Teletype part No. 151528			1	0.7	0.3	4		151528
	P1	F		5815-370-1077	†	†	†	†	†	PAD: Teletype part No. 151533			1	0.5	0.3	5		151533
	P1	F		5306-370-1078	†	†	†	†	†	SCREW, MACHINE: Teletype part No. 151534			1	0.5	0.3	5		151533
	P1	F		5815-663-3348	†	†	†	†	†	SPRING, HELICAL, TORSION: Teletype part No. 151538			2	1.1	0.6	8		151538
	P1	F		5315-598-5014	†	†	†	†	†	STUD: Teletype part No. 151542			2	0.7	0.3	6		151542
	P1	F		5815-663-3367	†			†		SPRING, HELICAL, TORSION: Teletype part No. 151547			1	0.7	0.3	4		151547
	P1	F		5815-370-1081	†				†	SPRING, HELICAL, COMPRESSION: Teletype part No. 151548			2	1.5	0.8	10		151548
	P1	F		5815-370-1140	†	†		†		SCREW: Teletype part No. 151549			4	1.1	0.6	20		151549

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL					(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
														3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D		1	2	3	4	5	TT-47A/UG; TT-47B/UG; TT-47C/UG; TT-69A/UG; TT-69B/UG (continued)								
	P1	F		5355-667-9021	†	†	†	†	†	KNOB: Harry Mold part No. 2110			1	1.4	0.7	4		151556
	P1	F		5310-637-4064	†	†	†	†	†	NUT, SHEET SPRING: Teletype part No. 151558			3	1.5	0.8	15		151558
	P1	F		5815-664-2147	†	†	†	†	†	SPRING, HELICAL, EXTENSION: Teletype part No. 151559			1	0.7	0.3	5		151559
	P1	F		5815-370-1085	†	†	†	†	†	BUSHING; SLEEVE: Teletype part No. 151565			1	0.5	0.3	3		151565
	P1	F		5815-699-3318	†	†	†	†	†	ARMATURE: Teletype part No. 151567			1	0.5	0.3	3		151567
	P1	F		5310-209-1239	†	†	†	†	†	WASHER, LOCK: Teletype part No. 151572			28	4.2	2.8	140		151572
	P1	F		5305-606-5358		†	†		†	SCREW, MACHINE: Teletype part No. 151577			3	0.9	0.5	15		151577
	P1	F		5815-696-9293	†	†	†	†	†	LEVER ASSEMBLY: Teletype part No. 151599			2	0.7	0.3	10		151599
	P1	F		5940-302-6367		†				TERMINAL LUG: Teletype part No. 151626			4	1.1	0.6	20		151626
	P1	F		5305-370-0922		†	†		†	SCREW, MACHINE: Teletype part No. 151657			4	1.1	0.6	20		151657
	P1	F		5305-531-9034	†	†		†		SCREW, MACHINE: Teletype part No. 151658			1	0.7	0.3	5		151658
	P1	F		5305-013-1830	†	†		†		SCREW, MACHINE: Teletype part No. 151685			2	1.1	0.6	10		151685
	P1	F		5815-606-5360		†			†	BUMPER: Teletype part No. 151726			2	0.7	0.3	10		151726
	P1	F		5815-631-3296		†	†		†	WINDOW, OBSERVATION: Teletype part No. 152768			1	0.5	0.3	10		152768
	P1	F		5310-606-5366		†	†		†	NUT, PLAIN, HEXAGON: Teletype part No. 152799			4	1.1	0.6	20		152799
	P1	F		5815-607-3868		†	†		†	SCREW: Teletype part No. 152884			2	0.7	0.3	10		152884
	P1	F		5815-091-9573	†	†		†		LINE GUIDE: Teletype part No. 153020			1	0.7	0.3	3		153020
	P1	F		5815-091-9572	†	†		†		SPRING, HELICAL, TORSION: Teletype part No. 153021			1	0.9	0.5	4		153021
	P1	F		5815-091-9574	†	†		†		BUSHING: Teletype part No. 153022			1	0.5	0.3	3		153022
	P1	F		5815-691-3161		†	†		†	SPRING: Teletype part No. 153037			1	0.7	0.3	5		153037
	P1	F		5815-606-5354	†	†	†	†	†	STUD: Teletype part No. 153388			4	1.1	0.6	12		153388
	P1	F		5305-606-5353	†	†	†	†	†	SCREW, MACHINE: Teletype part No. 153484			80	8.5	3.6	400		153484
	P1	F		5915-606-5336		†				FILTER, RADIO INTERFERENCE: Teletype part No. 154655			1	0.9	0.5	5		154655
	P1	F		5930-605-3930		†				SWITCH, TOGGLE: Teletype part No. 155045			1	0.7	0.3	5		155045
	P1	F		6210-346-1701	†	†	†	†	†	LENS, INDICATOR LIGHT: Teletype part No. 155083			3	1.9	1.3	15		155083

By Order of Secretary of the Army:

G. H. DECKER,
General, United States Army,
Chief of Staff.

Official:

J. C. LAMBERT,
Major General, United States Army,
The Adjutant General.

Distribution:

Active Army:

DASA (6)
USASA (2)
CNGB (1)
Tech Stf, DA (1) except
CSigO (14)
Tech Stf Bd (1)
USCONARC (5)
USAARTYBD (1)
USAARMBD (2)
USAIB (1)
USARADBD (2)
USAABELCTBD (1)
USAAVNBD (1)
USAATBD (1)
ARADCOM (2)
ARADCOM, Rgn (2)
OS Maj Comd (3)
OS Base Comd (2)
LOGCOMD (2)
MDW (1)
Armies (2)
Corps (2)
Instl (2)
Fort Monmouth (63)
USATC AD (2)
USATC Armor (2)
USATC Engr (2)
USATC FA (2)
USATC Inf (2)
USAOMC (3)
Svc Colleges (2)
Br Svc Sch (2)
GENDEP (2) except
Atlanta GENDEP (none)
Sig Sec, GENDEP (5)
Sig Dep (12)
WRAMC (1)
USA Trans Tml Comd (1)
Army Tml (1)
POE (1)
OSA (1)
USAEPG (2)
AFIP (1)
AMS (1)
Army Pictorial Cen (2)
EMC (1)
Yuma Test Sta (2)
USACA (3)
USASSA (20)
USASSAMRO (1)
USASEA (1)
USA Caribbean Sig Agcy (1)
USA Sig Msl Spt Agcy (13)
Sig Fld Maint Shops (3)
USA Corps (3)
JBUSMC (2)
Def Log Svc Cen (1)
Units org under fol TOE:
(2 copies each UNOINDC)
11–7
11–16
11–57
11–97
11–117
11–155
11–157
11–500 (AA–AE) (4)
11–557
11–587
11–592
11–597

NG: State AG (3).

USAR: None.

For explanation of abbreviations used, see AR 320–50.

☆ U. S. GOVERNMENT PRINTING OFFICE: 1962—810977/470